

Evaluate Continuing Calibration Report

Data File : S:\HPCHEM1\HPLC_L\DATA\HL102113\HL005606.D Vial: 7
 Acq On : 21-Oct-2013, 17:14 Operator: QM
 Sample : HSTDICV0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : AUTOINT1.E

Instrument :
 HPLC_L
 ClientSampleId :
 ICVHL102113

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL102113.M
 Title :
 Last Update : Tue Oct 22 06:43:54 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	3.937	4.395 E3	-11.6	108	0.01
2 T	HMX	4.503	4.406 E3	2.2	105	0.00
3 T	RDX	5.377	5.389 E3	-0.2	99	0.02
4 T	1,3,5-Trinitrobenzene	11.019	11.837 E3	-7.4	98	0.00
5 T	1,3-Dinitrobenzene	17.967	19.268 E3	-7.2	100	-0.05
6 T	3,5-Dinitroaniline	14.060	14.728 E3	-4.8	100	-0.06
7 T	Nitrobenzene	10.682	10.120 E3	5.3	84	-0.05
8 T	Tetryl	6.303	7.493 E3	-18.9	131	0.00
9 T	2,4,6-Trinitrotoluene	11.586	11.131 E3	3.9	82	-0.02
10 T	2-Amino-4,6-dinitrotoluene	10.588	12.009 E3	-13.4	107	0.00
11 T	4-Amino-2,6-dinitrotoluene	6.160	6.419 E3	-4.2	88	0.01
12 T	2,4-Dinitrotoluene	15.096	16.937 E3	-12.2	102	0.01
13 T	2,6-Dinitrotoluene	7.132	8.716 E3	-22.2	107	-0.01
14 T	2-Nitrotoluene	20.665	26.385 E3	-27.7#	154#	-0.04
15 T	4-Nitrotoluene	12.991	13.651 E3	-5.1	119	-0.04
16 T	3-Nitrotoluene	16.209	22.592 E3	-39.4#	92	-0.03
17 T	PETN	22118.958	4909.883	77.8#	53	0.35

Evaluate Continuing Calibration Report - Not Found

Data File : S:\HPCHEM1\HPLC_L\DATA\HL102113\HL005606.D Vial: 7
 Acq On : 21-Oct-2013, 17:14 Operator: QM
 Sample : HSTDICV0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : AUTOINT1.E

Instrument :
 HPLC_L
 ClientSampleId :
 ICVHL102113

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL102113.M
 Title :
 Last Update : Tue Oct 22 06:43:54 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
----------	-------	------	------	-------	----------