

Evaluate Continuing Calibration Report

Data File : S:\HPCHEM1\HPLC_L\DATA\HL102113\HL005607.D Vial: 1
 Acq On : 21-Oct-2013, 17:41 Operator: QM
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : AUTOINT1.E

Instrument :
 HPLC_L
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL102113.M
 Title :
 Last Update : Tue Oct 22 06:43:54 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	3.937	4.063 E3	-3.2	100	0.00
2 T	HMX	4.503	4.182 E3	7.1	100	0.00
3 T	RDX	5.377	5.174 E3	3.8	95	0.02
4 T	1,3,5-Trinitrobenzene	11.019	11.585 E3	-5.1	96	0.00
5 T	1,3-Dinitrobenzene	17.967	18.906 E3	-5.2	98	-0.03
6 T	3,5-Dinitroaniline	14.060	15.003 E3	-6.7	102	-0.03
7 T	Nitrobenzene	10.682	9.920 E3	7.1	82	-0.01
8 T	Tetryl	6.303	5.897 E3	6.4	103	-0.04
9 T	2,4,6-Trinitrotoluene	11.586	12.386 E3	-6.9	91	-0.04
10 T	2-Amino-4,6-dinitrotoluene	10.588	11.090 E3	-4.7	99	-0.03
11 T	4-Amino-2,6-dinitrotoluene	6.160	7.124 E3	-15.6	98	-0.03
12 T	2,4-Dinitrotoluene	15.096	16.448 E3	-9.0	99	-0.02
13 T	2,6-Dinitrotoluene	7.132	7.939 E3	-11.3	98	-0.04
14 T	2-Nitrotoluene	20.665	20.203 E3	2.2	118	-0.06
15 T	4-Nitrotoluene	12.991	13.990 E3	-7.7	122	-0.13
16 T	3-Nitrotoluene	16.209	16.323 E3	-0.7	67	-0.11
17 T	PETN	22118.958	6071.931	72.5#	66	0.81#

Evaluate Continuing Calibration Report - Not Found

Data File : S:\HPCHEM1\HPLC_L\DATA\HL102113\HL005607.D Vial: 1
 Acq On : 21-Oct-2013, 17:41 Operator: QM
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : AUTOINT1.E

Instrument :
 HPLC_L
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL102113.M
 Title :
 Last Update : Tue Oct 22 06:43:54 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
----------	-------	------	------	-------	----------