

Evaluate Continuing Calibration Report

Data File : S:\HPCHEM1\HPLC_L\DATA\HL102113\HL005616.D Vial: 1
 Acq On : 21-Oct-2013, 21:44 Operator: QM
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : AUTOINT1.E

Instrument :
 HPLC_L
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL102113.M
 Title :
 Last Update : Tue Oct 22 06:43:54 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	3.937	4.037 E3	-2.5	100	-0.01
2 T	HMX	4.503	4.102 E3	8.9	98	0.00
3 T	RDX	5.377	5.417 E3	-0.7	100	-0.01
4 T	1,3,5-Trinitrobenzene	11.019	11.856 E3	-7.6	98	-0.03
5 T	1,3-Dinitrobenzene	17.967	19.633 E3	-9.3	101	-0.04
6 T	3,5-Dinitroaniline	14.060	14.834 E3	-5.5	101	-0.02
7 T	Nitrobenzene	10.682	12.705 E3	-18.9	105	0.00
8 T	Tetryl	6.303	5.156 E3	18.2	90	0.03
9 T	2,4,6-Trinitrotoluene	11.586	12.539 E3	-8.2	92	0.06
10 T	2-Amino-4,6-dinitrotoluene	10.588	11.090 E3	-4.7	99	0.05
11 T	4-Amino-2,6-dinitrotoluene	6.160	7.129 E3	-15.7	98	0.06
12 T	2,4-Dinitrotoluene	15.096	16.025 E3	-6.2	97	0.06
13 T	2,6-Dinitrotoluene	7.132	7.845 E3	-10.0	97	0.04
14 T	2-Nitrotoluene	20.665	17.688 E3	14.4	104	0.05
15 T	4-Nitrotoluene	12.991	15.121 E3	-16.4	132	0.04
16 T	3-Nitrotoluene	16.209	21.986 E3	-35.6#	90	0.00
17 T	PETN	22118.958	7878.832	64.4#	85	-0.23

Evaluate Continuing Calibration Report - Not Found

Data File : S:\HPCHEM1\HPLC_L\DATA\HL102113\HL005616.D Vial: 1
 Acq On : 21-Oct-2013, 21:44 Operator: QM
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : AUTOINT1.E

Instrument :
 HPLC_L
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL102113.M
 Title :
 Last Update : Tue Oct 22 06:43:54 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
----------	-------	------	------	-------	----------