

Evaluate Continuing Calibration Report

Data File : S:\HPCHEM1\HPLC_L\DATA\HL102113\HL005626.D Vial: 1
 Acq On : 22-Oct-2013, 02:13 Operator: QM
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : AUTOINT1.E

Instrument :
 HPLC_L
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL102113.M
 Title :
 Last Update : Tue Oct 22 06:43:54 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	3.937	4.019 E3	-2.1	99	-0.01
2 T	HMX	4.503	4.089 E3	9.2	97	0.00
3 T	RDX	5.377	5.447 E3	-1.3	100	0.00
4 T	1,3,5-Trinitrobenzene	11.019	11.878 E3	-7.8	99	-0.03
5 T	1,3-Dinitrobenzene	17.967	19.600 E3	-9.1	101	-0.02
6 T	3,5-Dinitroaniline	14.060	14.891 E3	-5.9	101	0.00
7 T	Nitrobenzene	10.682	10.120 E3	5.3	84	0.01
8 T	Tetryl	6.303	6.567 E3	-4.2	115	0.14
9 T	2,4,6-Trinitrotoluene	11.586	11.379 E3	1.8	83	0.12
10 T	2-Amino-4,6-dinitrotoluene	10.588	9.364 E3	11.6	83	0.14
11 T	4-Amino-2,6-dinitrotoluene	6.160	6.261 E3	-1.6	86	0.17
12 T	2,4-Dinitrotoluene	15.096	14.929 E3	1.1	90	0.14
13 T	2,6-Dinitrotoluene	7.132	7.561 E3	-6.0	93	0.14
14 T	2-Nitrotoluene	20.665	23.848 E3	-15.4	140	0.16
15 T	4-Nitrotoluene	12.991	13.482 E3	-3.8	118	0.16
16 T	3-Nitrotoluene	16.209	18.767 E3	-15.8	77	0.18
17 T	PETN	22118.958	6521.662	70.5#	70	1.15#

Evaluate Continuing Calibration Report - Not Found

Data File : S:\HPCHEM1\HPLC_L\DATA\HL102113\HL005626.D Vial: 1
 Acq On : 22-Oct-2013, 02:13 Operator: QM
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : AUTOINT1.E

Instrument :
 HPLC_L
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_L\METHODS\HL102113.M
 Title :
 Last Update : Tue Oct 22 06:43:54 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
----------	-------	------	------	-------	----------