

Method Path : Z:\HPCHEM1\HPLC_L\METHODS\
 Method File : HL102214.M
 Title :
 Last Update : Mon Mar 09 16:43:57 2015
 Response Via : Initial Calibration

Calibration Files

5000 =HL005665.D 2000 =HL005666.D 1000 =HL005667.D
 500 =HL005668.D 100 =HL005669.D

	Compound	5000	2000	1000	500	100	Avg		%RSD
1) S	4-Nitroaniline	1.319	1.215	1.330	1.188	1.431	1.297	E4	7.53
2) T	HMX	6.017	5.515	6.178	5.535	6.458	5.941	E3	6.91
3) T	RDX	1.319	1.215	1.330	1.188	1.431	1.297	E4	7.53
4) T	1,3,5-Trinitrobenzene	1.530	1.446	1.608	1.474	1.804	1.573	E4	9.12
5) T	1,3-Dinitrobenzene	2.443	2.301	2.463	2.233	2.675	2.423	E4	7.05
6) T	3,5-Dinitroaniline	1.757	1.662	1.773	1.616	1.893	1.740	E4	6.18
7) T	Nitrobenzene	1.493	1.414	1.504	1.366	1.631	1.482	E4	6.83
8) T	Tetryl	5.988	7.378	9.032	9.555	9.831	8.357	E3	19.51
9) T	2,4,6-Trinitrotoluene	1.457	1.383	1.478	1.426	1.557	1.460	E4	4.43
10) T	2-Amino-4,6-dinitr...	1.680	1.661	1.617	1.515	1.665	1.628	E4	4.13
11) T	4-Amino-2,6-dinitr...	1.008	1.022	1.016	0.962	1.111	1.024	E4	5.27
12) T	2,4-Dinitrotoluene	2.503	2.265	2.323	2.120	2.377	2.318	E4	6.10
13) T	2,6-Dinitrotoluene	1.019	1.142	1.235	1.142	1.322	1.172	E4	9.73
14) T	2-Nitrotoluene	1.002	0.979	1.041	0.983	0.997	1.000	E4	2.46
15) T	4-Nitrotoluene	7.899	7.602	8.074	7.748	8.801	8.025	E3	5.83
16) T	3-Nitrotoluene	1.133	0.937	1.038	1.114	0.962	1.037	E4	8.48
17) T	PETN	1.140	1.133	1.287	1.091	1.286	1.187	E4	7.80

(#) = Out of Range