

Data Path : Z:\HPCHEM1\HPLC_L\Data\HL110414\
Data File : HL005834.D
Signal(s) : VWD1A.CH
Acq On : 04-Nov-2014, 20:32
Operator : TP
Sample : HSTDCCC0500
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
HPLC_L
LabSampleId :
HSTDCCC0500

Integration File: AUTOINT1.E
Quant Time: Mar 09 13:42:39 2015
Quant Method : Z:\HPCHEM1\HPLC_L\METHODS\HL102214.M
Quant Title :
QLast Update : Mon Mar 09 13:35:50 2015
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 50 u1
Signal Phase : ZORBAX Extend-C18
Signal Info : 4.6 X 100mm 3.5-Micron 80A

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(Min)
1 S	4-Nitroaniline	500.000	456.617	8.7	100	-0.03
2 T	HMX	500.000	461.328	7.7	99	0.00
3 T	RDX	500.000	456.617	8.7	100	-0.03
4 T	1,3,5-Trinitrobenzene	500.000	452.858	9.4	97	-0.10
5 T	1,3-Dinitrobenzene	500.000	468.855	6.2	102	-0.24
6 T	3,5-Dinitroaniline	500.000	469.582	6.1	101	-0.29
7 T	Nitrobenzene	500.000	468.418	6.3	102	-0.32
8 T	Tetryl	500.000	364.279	27.1#	64	-0.37
9 T	2,4,6-Trinitrotoluene	500.000	560.609	-12.1	115	-0.38
10 T	2-Amino-4,6-dinitrotoluene	500.000	478.090	4.4	103	-0.40
11 T	4-Amino-2,6-dinitrotoluene	500.000	466.044	6.8	99	-0.41
12 T	2,4-Dinitrotoluene	500.000	457.161	8.6	100	-0.40
13 T	2,6-Dinitrotoluene	500.000	493.286	1.3	101	-0.40
14 T	2-Nitrotoluene	500.000	483.858	3.2	99	-0.18
15 T	4-Nitrotoluene	500.000	482.189	3.6	100	-0.14
16 T	3-Nitrotoluene	500.000	464.205	7.2	86	-0.08
17 T	PETN	500.000	487.262	2.5	106	-0.09

Evaluate Continuing Calibration Report - Not Found

(#) = Out of Range

SPCC's out = 0 CCC's out = 0