

Data Path : Z:\HPCHEM1\HPLC_L\Data\HL110414\
 Data File : HL005845.D
 Signal(s) : VWD1A.CH
 Acq On : 05-Nov-2014, 01:55
 Operator : TP
 Sample : HSTDCCC0500
 Misc :
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 HPLC_L
 LabSampleId :
 HSTDCCC0500

Integration File: AUTOINT1.E
 Quant Time: Mar 09 15:46:40 2015
 Quant Method : Z:\HPCHEM1\HPLC_L\METHODS\HL102214.M
 Quant Title :
 QLast Update : Mon Mar 09 15:44:57 2015
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 50 u1
 Signal Phase : ZORBAX Extend-C18
 Signal Info : 4.6 X 100mm 3.5-Micron 80A

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(Min)
1 S	4-Nitroaniline	500.000	469.973	6.0	103	-0.03
2 T	HMX	500.000	465.073	7.0	100	0.00
3 T	RDX	500.000	469.973	6.0	103	-0.03
4 T	1,3,5-Trinitrobenzene	500.000	488.985	2.2	104	-0.08
5 T	1,3-Dinitrobenzene	500.000	507.116	-1.4	110	-0.08
6 T	3,5-Dinitroaniline	500.000	503.690	-0.7	108	-0.06
7 T	Nitrobenzene	500.000	496.204	0.8	108	-0.04
8 T	Tetryl	500.000	372.553	25.5#	65	0.02
9 T	2,4,6-Trinitrotoluene	500.000	576.444	-15.3	118	0.03
10 T	2-Amino-4,6-dinitrotoluene	500.000	492.003	1.6	106	0.05
11 T	4-Amino-2,6-dinitrotoluene	500.000	476.731	4.7	101	0.06
12 T	2,4-Dinitrotoluene	500.000	463.426	7.3	101	0.08
13 T	2,6-Dinitrotoluene	500.000	504.803	-1.0	104	0.08
14 T	2-Nitrotoluene	500.000	446.946	10.6	91	0.12
15 T	4-Nitrotoluene	500.000	474.640	5.1	98	0.13
16 T	3-Nitrotoluene	500.000	539.645	-7.9	100	0.16
17 T	PETN	500.000	468.226	6.4	102	0.15

Evaluate Continuing Calibration Report - Not Found

(#) = Out of Range

SPCC's out = 0 CCC's out = 0