

Data Path : S:\HPCHEM1\HPLC_L\Data\HL112112\
 Data File : HL003799.D
 Signal(s) : VWD1A.CH
 Acq On : 21-Nov-2012, 12:02
 Operator : HLM
 Sample : 8330-CCV
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Nov 22 03:30:19 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL102412.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Wed Nov 21 17:24:06 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.390	3889204	972.631 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 324.21%#
Target Compounds			
2) T HMX	0.927	4050616	1000.259 ug/L
3) T RDX	1.794	5685175	1056.257 ug/L
4) T 1,3,5-Trinitrobenzene	2.819	5961408	502.508 ug/L
5) T Tetryl	6.466	8505506	998.818 ug/L
6) T 2,4,6-Trinitrotoluene	6.844	5643043	495.231 ug/L
7) T 2-Amino-4,6-dinitroto...	7.317	5503303	507.604 ug/L
8) T 4-Amino-2,6-dinitroto...	7.672	3671004	508.724 ug/L
9) T 2,4-Dinitrotoluene	8.548	7886187	493.873 ug/L
10) T 2,6-Dinitrotoluene	8.952	4263298	494.648 ug/L
11) T 1,3-Dinitrobenzene	3.738	8404515	507.961 ug/L
12) T Nitrobenzene	5.030	5282272	493.570 ug/L
13) T 2-Nitrotoluene	12.353	7178794	1059.893 ug/L
14) T 3-Nitrotoluene	14.475	7552640	1048.116 ug/L
15) T 4-Nitrotoluene	13.153	5951706	1023.414 ug/L
16) T 3,5-Dinitroaniline	4.085	15749623	1003.090 ug/L
18) T PETN	19.784	23370211	2523.579 ug/L

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : S:\HPCHEM1\HPLC_L\Data\HL112112\
Data File : HL003799.D
Signal(s) : VWD1A.CH
Acq On : 21-Nov-2012, 12:02
Operator : HLM
Sample : 8330-CCV
Misc :
ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
Quant Time: Nov 22 03:30:19 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL102412.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Wed Nov 21 17:24:06 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

