

Data Path : S:\HPCHEM1\HPLC_L\Data\HL112112\
 Data File : HL003806.D
 Signal(s) : VWD1A.CH
 Acq On : 21-Nov-2012, 15:10
 Operator : HLM
 Sample : 8330-CCV
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Nov 22 03:30:52 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL102412.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Wed Nov 21 17:24:06 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.395	4076642	1021.308 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 340.44%#
Target Compounds			
2) T HMX	0.931	4099535	1012.247 ug/L
3) T RDX	1.799	5639049	1047.687 ug/L
4) T 1,3,5-Trinitrobenzene	2.825	5918621	498.901 ug/L
5) T Tetryl	6.479	8295625	974.171 ug/L
6) T 2,4,6-Trinitrotoluene	6.857	5663132	496.995 ug/L
7) T 2-Amino-4,6-dinitroto...	7.331	5533238	510.365 ug/L
8) T 4-Amino-2,6-dinitroto...	7.685	3619599	501.600 ug/L
9) T 2,4-Dinitrotoluene	8.568	7925361	496.326 ug/L
10) T 2,6-Dinitrotoluene	8.971	4175666	484.481 ug/L
11) T 1,3-Dinitrobenzene	3.745	8428853	509.432 ug/L
12) T Nitrobenzene	5.039	5382603	502.944 ug/L
13) T 2-Nitrotoluene	12.381	6836497	1009.355 ug/L
14) T 3-Nitrotoluene	14.510	7334237	1017.807 ug/L
15) T 4-Nitrotoluene	13.181	5750312	988.783 ug/L
16) T 3,5-Dinitroaniline	4.091	16103464	1025.626 ug/L
18) T PETN	19.819	22964237	2479.741 ug/L

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : S:\HPCHEM1\HPLC_L\Data\HL112112\
Data File : HL003806.D
Signal(s) : VWD1A.CH
Acq On : 21-Nov-2012, 15:10
Operator : HLM
Sample : 8330-CCV
Misc :
ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
Quant Time: Nov 22 03:30:52 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL102412.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Wed Nov 21 17:24:06 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

