

Data File : H:\VOL1\HPLC\HPLC L\121121\HL003799.D Vial: 2
 Acq On : 21-Nov-2012, 12:02 Operator: HLM
 Sample : 8330-CCV Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : events.e

Method : H:\VOL1\HPLC\HPLC L\METHODS\HL102412.M (Chemstation Integrator)
 Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 Last Update : Thu Oct 25 10:56:40 2012
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 15% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	4.092	3.889 E3	5.0	0#	0.00
2 T	HMX	3.758	4.051 E3	-7.8	0#	0.00
3 T	RDX	5.382	5.685 E3	-5.6	0#	0.00
4 T	1,3,5-Trinitrobenzene	11.863	11.923 E3	-0.5	0#	0.00
5 T	Tetryl	8.516	8.506 E3	0.1	0#	0.00
6 T	2,4,6-Trinitrotoluene	11.395	11.286 E3	1.0	0#	0.00
7 T	2-Amino-4,6-dinitrotoluene	10.842	11.007 E3	-1.5	0#	0.00
8 T	4-Amino-2,6-dinitrotoluene	7.216	7.342 E3	-1.7	0#	0.00
9 T	2,4-Dinitrotoluene	15.968	15.772 E3	1.2	0#	0.00
10 T	2,6-Dinitrotoluene	8.619	8.527 E3	1.1	0#	0.00
11 T	1,3-Dinitrobenzene	16.546	16.809 E3	-1.6	0#	0.00
12 T	Nitrobenzene	10.702	10.565 E3	1.3	0#	0.00
13 T	2-Nitrotoluene	6.773	7.179 E3	-6.0	0#	0.00
14 T	3-Nitrotoluene	7.206	7.553 E3	-4.8	0#	0.00
15 T	4-Nitrotoluene	5.816	5.952 E3	-2.3	0#	0.00
16 T	3,5-Dinitroaniline	15.701	15.750 E3	-0.3	0#	0.00
18 T	PETN	9.261	9.348 E3	-0.9	0#	0.00

Data File : H:\VOL1\HPLC\HPLC L\121121\HL003799.D Vial: 2
Acq On : 21-Nov-2012, 12:02 Operator: HLM
Sample : 8330-CCV Inst : G1314A
Misc : Multiplr: 1.00
IntFile : events.e

Method : H:\VOL1\HPLC\HPLC L\METHODS\HL102412.M (Chemstation Integrator)
Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
Last Update : Thu Oct 25 10:56:40 2012
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 15% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
17 T Nitroglycerin	57.616	0.000	100.0#	0#	-6.38#