

Evaluate Continuing Calibration Report

Data File : H:\VOL1\HPLC\HPLC L\121121\HL003800.D Vial: 3
 Acq On : 21-Nov-2012, 12:29 Operator: HLM
 Sample : 8330NG-CCV Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : events.e

Method : H:\VOL1\HPLC\HPLC L\METHODS\HL102412.M (Chemstation Integrator)
 Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 Last Update : Wed Nov 21 17:32:45 2012
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 15% Max. Rel. Area : 150%

Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
17 T Nitroglycerin	57.616	63.626	-10.4	0#	0.00

Data File : H:\VOL1\HPLC\HPLC L\121121\HL003800.D
 Acq On : 21-Nov-2012, 12:29
 Sample : 8330NG-CCV
 Misc :
 IntFile : events.e

Vial: 3
 Operator: HLM
 Inst : G1314A
 Multiplr: 1.00

Method : H:\VOL1\HPLC\HPLC L\METHODS\HL102412.M (Chemstation Integrator)
 Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 Last Update : Wed Nov 21 17:32:45 2012
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 15% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	4.092	0.000 E3	100.0#	0#	-1.39#
2 T	HMX	3.758	0.000 E3	100.0#	0#	-0.93#
3 T	RDX	5.382	0.000 E3	100.0#	0#	-1.79#
4 T	1,3,5-Trinitrobenzene	11.863	0.000 E3	100.0#	0#	-2.82#
5 T	Tetryl	8.516	0.000 E3	100.0#	0#	-6.47#
6 T	2,4,6-Trinitrotoluene	11.395	0.000 E3	100.0#	0#	-6.84#
7 T	2-Amino-4,6-dinitrotoluene	10.842	0.000 E3	100.0#	0#	-7.32#
8 T	4-Amino-2,6-dinitrotoluene	7.216	0.000 E3	100.0#	0#	-7.67#
9 T	2,4-Dinitrotoluene	15.968	0.000 E3	100.0#	0#	-8.55#
10 T	2,6-Dinitrotoluene	8.619	0.000 E3	100.0#	0#	-8.95#
11 T	1,3-Dinitrobenzene	16.546	0.000 E3	100.0#	0#	-3.74#
12 T	Nitrobenzene	10.702	0.000 E3	100.0#	0#	-5.03#
13 T	2-Nitrotoluene	6.773	0.000 E3	100.0#	0#	-12.35#
14 T	3-Nitrotoluene	7.206	0.000 E3	100.0#	0#	-14.47#
15 T	4-Nitrotoluene	5.816	0.000 E3	100.0#	0#	-13.15#
16 T	3,5-Dinitroaniline	15.701	0.000 E3	100.0#	0#	-4.09#
18 T	PETN	9.261	0.000 E3	100.0#	0#	-19.78#