

Method Path : Z:\HPCHEM1\HPLC_L\Methods\
 Method File : HL120616.M
 Title :
 Last Update : Mon Jan 30 12:30:05 2017
 Response Via : Initial Calibration

Calibration Files

100 =HL006476.D 200 =HL006475.D 500 =HL006478.D
 1000 =HL006471.D 2000 =HL006470.D 750 =HL006473.D

	Compound	100	200	500	1000	2000	750	Avg		%RSD

1) S	4-Nitroaniline	1.887	1.877	1.604	1.946	2.032	1.940	1.881	E3	7.79
2) T	HMX	7.609	6.861	6.475	6.271	6.157	6.438	6.635	E3	8.05
3) T	RDX	1.388	1.275	1.196	1.212	1.219	1.237	1.254	E4	5.65
4) T	1,3,5-Trinitr...	1.868	1.839	1.611	1.575	1.542	1.613	1.675	E4	8.45
5) T	1,3-Dinitrobe...	2.649	2.509	2.481	2.441	2.402	2.474	2.493	E4	3.41
6) T	3,5-Dinitroan...	2.077	1.973	1.942	1.903	1.870	1.922	1.948	E4	3.72
7) T	Nitrobenzene	1.624	1.496	1.413	1.395	1.378	1.405	1.452	E4	6.45
8) T	Tetryl	1.202	1.202	1.065	0.978	0.805	1.089	1.057	E4	14.21
9) T	2,4,6-Trinitr...	1.544	1.656	1.465	1.453	1.409	1.501	1.505	E4	5.79
10) T	2-Amino-4,6-d...	2.305	2.127	1.815	1.699	1.629	1.713	1.881	E4	14.45
11) T	4-Amino-2,6-d...	1.273	1.221	1.152	1.089	1.047	1.111	1.149	E4	7.39
12) T	2,4-Dinitroto...	2.561	2.417	2.394	2.358	2.346	2.376	2.409	E4	3.27
13) T	2,6-Dinitroto...	1.216	1.132	1.108	1.061	1.013	1.115	1.108	E4	6.19
14) T	2-Nitrotoluene	1.047	0.998	0.956	0.948	0.938	0.958	0.974	E4	4.22
15) T	4-Nitrotoluene	7.741	8.103	7.312	7.321	7.275	7.455	7.535	E3	4.34
16) T	3-Nitrotoluene	1.117	1.101	0.987	0.961	0.958	1.034	1.026	E4	6.81
17) T	PETN	1.588	1.346	1.282	1.343	1.266	1.318	1.357	E4	8.69

(#) = Out of Range