

Data Path : Z:\HPCHEM1\HPLC_N\Data\HN050713\
Data File : HN005250.D
Signal(s) : VWD1A.CH
Acq On : 07-May-2013, 21:46
Operator : QM
Sample : HSTDCCC0500
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
HPLC_N
LabSampleId :
HSTDCCC0500

Integration File: autoint1.e
Quant Time: May 21 00:42:50 2013
Quant Method : Z:\HPCHEM1\HPLC_N\METHOD\HN050713.M
Quant Title :
QLast Update : Fri May 17 15:35:01 2013
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 50 ul
Signal Phase : ZORBAX Extend-C18
Signal Info : 4.6 X 100mm 3.5-Micron 80A

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(Min)
1 S	4-Nitroaniline	500.000	518.784	-3.8	105	0.01
2 T	HMX	500.000	521.368	-4.3	99	0.00
3 T	RDX	500.000	509.291	-1.9	103	0.02
4 T	1,3,5-Trinitrobenzene	500.000	513.440	-2.7	97	0.06
5 T	1,3-Dinitrobenzene	500.000	492.429	1.5	95	0.08
6 T	3,5-Dinitroaniline	500.000	491.789	1.6	97	0.09
7 T	Nitrobenzene	500.000	488.537	2.3	97	0.07
8 T	Tetryl	500.000	486.512	2.7	93	0.07
9 T	2,4,6-Trinitrotoluene	500.000	485.547	2.9	95	0.06
10 T	2-Amino-4,6-dinitrotoluene	500.000	468.637	6.3	91	0.06
11 T	4-Amino-2,6-dinitrotoluene	500.000	514.416	-2.9	98	0.05
12 T	2,4-Dinitrotoluene	500.000	482.123	3.6	91	0.03
13 T	2,6-Dinitrotoluene	500.000	479.776	4.0	88	0.02
14 T	2-Nitrotoluene	500.000	473.526	5.3	95	0.10
15 T	4-Nitrotoluene	500.000	518.289	-3.7	96	0.12
16 T	3-Nitrotoluene	500.000	513.390	-2.7	101	0.16
17 T	PETN	500.000	463.886	7.2	100	0.21

Evaluate Continuing Calibration Report - Not Found

(#) = Out of Range

SPCC's out = 0 CCC's out = 0