

Method Path : S:\HPCHEM1\HPLC_N\Method\
 Method File : HN052213.M
 Title :
 Last Update : Fri May 24 05:23:33 2013
 Response Via : Initial Calibration

Calibration Files

5000 =HN005251.D 2000 =HN005252.D 1000 =HN005253.D
 500 =HN005258.D 100 =HN005255.D 20 =HN005256.D

	Compound	5000	2000	1000	500	100	20	Avg		%RSD
1) S	4-Nitroaniline	4.387	4.302	4.492	4.321	3.749		4.250	E3	6.82
2) T	HMX	4.283	4.104	4.668	4.142	4.059	4.270	4.254	E3	5.21
3) T	RDX	5.287	5.136	5.380	5.257	4.659		5.143	E3	5.53
4) T	1,3,5-Trinitr...	1.069	1.069	1.109	1.096	1.119	1.118	1.097	E4	2.11
5) T	1,3-Dinitrobe...	1.275	1.259	1.299	1.290	1.273	1.417	1.302	E4	4.46
6) T	3,5-Dinitroan...	1.535	1.506	1.555	1.546	1.554	1.644	1.557	E4	2.99
7) T	Nitrobenzene	9.290	9.161	9.452	9.201	9.151	9.592	9.308	E3	1.92
8) T	Tetryl	5.786	5.011	6.351	6.173	6.600	6.116	6.006	E3	9.27
9) T	2,4,6-Trinitr...	1.127	1.195	1.187	1.167	1.119	1.218	1.169	E4	3.35
10) T	2-Amino-4,6-d...	1.216	1.050	1.054	1.037	1.025	1.024	1.068	E4	6.90
11) T	4-Amino-2,6-d...	4.671	5.905	6.456	6.532	6.540	6.535	6.107	E3	12.20
12) T	2,4-Dinitroto...	1.500	1.405	1.443	1.432	1.430	1.518	1.455	E4	3.03
13) T	2,6-Dinitroto...	7.490	7.898	8.237	8.201	8.328	9.345	8.250	E3	7.49
14) T	2-Nitrotoluene	6.218	6.114	6.357	6.330	6.100	6.302	6.237	E3	1.78
15) T	4-Nitrotoluene	5.230	5.189	5.436	5.370	5.271	4.976	5.245	E3	3.06
16) T	3-Nitrotoluene	6.541	6.533	6.781	6.689	6.598	6.709	6.642	E3	1.50
17) T	PETN	8.928	8.420	8.522	8.695	8.603	8.369	8.590	E3	2.37

(#) = Out of Range