

Data Path : S:\HPCHEM1\HPLC_N\Data\HN052313\
Data File : HN005258.D
Signal(s) : VWD1A.CH
Acq On : 23-May-2013, 13:54
Operator : QM
Sample : HSTDCCC0500
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
HPLC_N
LabSampleId :
HSTDCCC0500

Integration File: autoint1.e
Quant Time: May 28 08:12:05 2013
Quant Method : Z:\HPCHEM1\HPLC_N\METHOD\HN052213.M
Quant Title :
QLast Update : Fri May 24 05:23:33 2013
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 50 ul
Signal Phase : ZORBAX Extend-C18
Signal Info : 4.6 X 100mm 3.5-Micron 80A

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(Min)
1 S	4-Nitroaniline	500.000	502.182	-0.4	99	0.00
2 T	HMX	500.000	495.982	0.8	102	0.00
3 T	RDX	500.000	507.624	-1.5	99	0.00
4 T	1,3,5-Trinitrobenzene	500.000	508.867	-1.8	102	0.00
5 T	1,3-Dinitrobenzene	500.000	600.654	-20.1	121	0.00
6 T	3,5-Dinitroaniline	500.000	418.018	16.4	84	0.00
7 T	Nitrobenzene	500.000	489.784	2.0	99	0.00
8 T	Tetryl	500.000	435.804	12.8	85	0.00
9 T	2,4,6-Trinitrotoluene	500.000	540.577	-8.1	108	0.00
10 T	2-Amino-4,6-dinitrotoluene	500.000	484.169	3.2	100	0.00
11 T	4-Amino-2,6-dinitrotoluene	500.000	541.523	-8.3	101	0.00
12 T	2,4-Dinitrotoluene	500.000	498.201	0.4	101	0.00
13 T	2,6-Dinitrotoluene	500.000	505.182	-1.0	102	0.00
14 T	2-Nitrotoluene	500.000	521.847	-4.4	103	0.00
15 T	4-Nitrotoluene	500.000	547.374	-9.5	107	0.00
16 T	3-Nitrotoluene	500.000	534.887	-7.0	106	0.00
17 T	PETN	500.000	532.860	-6.6	105	0.00

Evaluate Continuing Calibration Report - Not Found

(#) = Out of Range

SPCC's out = 0 CCC's out = 0