

Data Path : S:\HPCHEM1\HPLC_N\Data\HN052313\
Data File : HN005267.D
Signal(s) : VWD1A.CH
Acq On : 23-May-2013, 18:10
Operator : QM
Sample : HSTDCCC0500
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
HPLC_N
LabSampleId :
HSTDCCC0500

Integration File: autoint1.e
Quant Time: May 28 08:13:06 2013
Quant Method : Z:\HPCHEM1\HPLC_N\METHOD\HN052213.M
Quant Title :
QLast Update : Fri May 24 05:23:33 2013
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 50 ul
Signal Phase : ZORBAX Extend-C18
Signal Info : 4.6 X 100mm 3.5-Micron 80A

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(Min)
1 S	4-Nitroaniline	500.000	509.940	-2.0	100	0.00
2 T	HMX	500.000	500.210	-0.0	103	0.00
3 T	RDX	500.000	511.384	-2.3	100	0.00
4 T	1,3,5-Trinitrobenzene	500.000	509.400	-1.9	102	0.01
5 T	1,3-Dinitrobenzene	500.000	598.857	-19.8	121	0.01
6 T	3,5-Dinitroaniline	500.000	419.387	16.1	84	0.01
7 T	Nitrobenzene	500.000	487.458	2.5	99	0.02
8 T	Tetryl	500.000	477.015	4.6	93	0.07
9 T	2,4,6-Trinitrotoluene	500.000	514.469	-2.9	103	0.03
10 T	2-Amino-4,6-dinitrotoluene	500.000	472.199	5.6	97	0.03
11 T	4-Amino-2,6-dinitrotoluene	500.000	530.392	-6.1	99	0.03
12 T	2,4-Dinitrotoluene	500.000	491.522	1.7	100	0.04
13 T	2,6-Dinitrotoluene	500.000	505.647	-1.1	102	0.04
14 T	2-Nitrotoluene	500.000	513.812	-2.8	101	0.05
15 T	4-Nitrotoluene	500.000	517.136	-3.4	101	0.06
16 T	3-Nitrotoluene	500.000	511.499	-2.3	102	0.07
17 T	PETN	500.000	544.880	-9.0	108	0.13

Evaluate Continuing Calibration Report - Not Founds

(#) = Out of Range

SPCC's out = 0 CCC's out = 0