

Data Path : S:\HPCHEM1\HPLC_N\Data\HN052313\
Data File : HN005271.D
Signal(s) : VWD1A.CH
Acq On : 23-May-2013, 19:59
Operator : QM
Sample : HSTDCCC0500
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
HPLC_N
LabSampleId :
HSTDCCC0500

Integration File: autoint1.e
Quant Time: May 28 08:13:41 2013
Quant Method : Z:\HPCHEM1\HPLC_N\METHOD\HN052213.M
Quant Title :
QLast Update : Fri May 24 05:23:33 2013
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 50 ul
Signal Phase : ZORBAX Extend-C18
Signal Info : 4.6 X 100mm 3.5-Micron 80A

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(Min)
1 S	4-Nitroaniline	4.250	4.316 E3	-1.6	100	0.00
2 T	HMX	4.254	4.257 E3	-0.1	103	0.00
3 T	RDX	5.143	5.247 E3	-2.0	100	0.01
4 T	1,3,5-Trinitrobenzene	10.966	11.258 E3	-2.7	103	0.02
5 T	1,3-Dinitrobenzene	13.023	15.740 E3	-20.9	122	0.03
6 T	3,5-Dinitroaniline	15.568	13.109 E3	15.8	85	0.03
7 T	Nitrobenzene	9.308	9.074 E3	2.5	99	0.04
8 T	Tetryl	6.006	6.058 E3	-0.9	98	0.11
9 T	2,4,6-Trinitrotoluene	11.690	11.810 E3	-1.0	101	0.06
10 T	2-Amino-4,6-dinitrotoluene	10.677	10.261 E3	3.9	99	0.07
11 T	4-Amino-2,6-dinitrotoluene	6.107	6.595 E3	-8.0	101	0.08
12 T	2,4-Dinitrotoluene	14.546	14.396 E3	1.0	101	0.08
13 T	2,6-Dinitrotoluene	8.250	8.259 E3	-0.1	101	0.09
14 T	2-Nitrotoluene	6.237	6.432 E3	-3.1	102	0.16
15 T	4-Nitrotoluene	5.245	5.427 E3	-3.5	101	0.20
16 T	3-Nitrotoluene	6.642	6.644 E3	-0.0	99	0.24
17 T	PETN	8.590	7.981 E3	7.1	92	0.35

Evaluate Continuing Calibration Report - Not Found

(#) = Out of Range

SPCC's out = 0 CCC's out = 0