

Data Path : S:\HPCHEM1\HPLC_N\Data\HN052313\
Data File : HN005271.D
Signal(s) : VWD1A.CH
Acq On : 23-May-2013, 19:59
Operator : QM
Sample : HSTDCCC0500
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
HPLC_N
LabSampleId :
HSTDCCC0500

Integration File: autoint1.e
Quant Time: May 28 08:13:41 2013
Quant Method : Z:\HPCHEM1\HPLC_N\METHOD\HN052213.M
Quant Title :
QLast Update : Fri May 24 05:23:33 2013
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 50 ul
Signal Phase : ZORBAX Extend-C18
Signal Info : 4.6 X 100mm 3.5-Micron 80A

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(Min)
1 S	4-Nitroaniline	500.000	507.688	-1.5	100	0.00
2 T	HMX	500.000	500.291	-0.1	103	0.00
3 T	RDX	500.000	510.032	-2.0	100	0.01
4 T	1,3,5-Trinitrobenzene	500.000	513.331	-2.7	103	0.02
5 T	1,3-Dinitrobenzene	500.000	604.298	-20.9	122	0.03
6 T	3,5-Dinitroaniline	500.000	421.048	15.8	85	0.03
7 T	Nitrobenzene	500.000	487.440	2.5	99	0.04
8 T	Tetryl	500.000	504.307	-0.9	98	0.11
9 T	2,4,6-Trinitrotoluene	500.000	505.113	-1.0	101	0.06
10 T	2-Amino-4,6-dinitrotoluene	500.000	480.506	3.9	99	0.07
11 T	4-Amino-2,6-dinitrotoluene	500.000	539.975	-8.0	101	0.08
12 T	2,4-Dinitrotoluene	500.000	494.842	1.0	101	0.08
13 T	2,6-Dinitrotoluene	500.000	500.528	-0.1	101	0.09
14 T	2-Nitrotoluene	500.000	515.613	-3.1	102	0.16
15 T	4-Nitrotoluene	500.000	517.272	-3.5	101	0.20
16 T	3-Nitrotoluene	500.000	500.206	-0.0	99	0.24
17 T	PETN	500.000	464.576	7.1	92	0.35

Evaluate Continuing Calibration Report - Not Found

(#) = Out of Range

SPCC's out = 0 CCC's out = 0