

Evaluate Continuing Calibration Report

Data File : Z:\HPCHEM1\HPLC_N\DATA\HN060514\HN006095.D Vial: 8
 Acq On : 05-Jun-2014, 18:52 Operator: HNP
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_N
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN060514.M
 Title :
 Last Update : Wed Jun 11 17:35:58 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	500.000	504.470	-0.9	104	0.00
2 T	HMX	500.000	568.723	-13.7	114	0.00
3 T	RDX	500.000	536.728	-7.3	112	0.00
4 T	1,3,5-Trinitrobenzene	500.000	553.170	-10.6	116	0.02
5 T	1,3-Dinitrobenzene	500.000	556.745	-11.3	116	0.03
6 T	3,5-Dinitroaniline	500.000	543.675	-8.7	106	0.03
7 T	Nitrobenzene	500.000	517.483	-3.5	113	0.05
8 T	Tetryl	500.000	520.903	-4.2	92	0.08
9 T	2,4,6-Trinitrotoluene	500.000	536.551	-7.3	110	0.10
10 T	2-Amino-4,6-dinitrotoluene	500.000	531.756	-6.4	115	0.07
11 T	4-Amino-2,6-dinitrotoluene	500.000	583.814	-16.8	106	0.08
12 T	2,4-Dinitrotoluene	500.000	540.232	-8.0	115	0.10
13 T	2,6-Dinitrotoluene	500.000	580.931	-16.2	113	0.11
14 T	2-Nitrotoluene	500.000	592.565	-18.5	111	0.16
15 T	4-Nitrotoluene	500.000	556.870	-11.4	106	0.17
16 T	3-Nitrotoluene	500.000	560.264	-12.1	103	0.19
17 T	PETN	500.000	532.143	-6.4	97	0.29

Evaluate Continuing Calibration Report - Not Found

Data File : Z:\HPCHEM1\HPLC_N\DATA\HN060514\HN006095.D Vial: 8
 Acq On : 05-Jun-2014, 18:52 Operator: HNP
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_N
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN060514.M
 Title :
 Last Update : Wed Jun 11 17:35:58 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
----------	--------	-------	------	-------	----------