

Data Path : S:\HPCHEM1\HPLC_N\Data\HN101012\
 Data File : HN000524.D
 Signal(s) : VWD1A.CH
 Acq On : 10-Oct-2012, 18:28
 Operator : HLM
 Sample : 8330-6
 Misc :
 ALS Vial : 42 Sample Multiplier: 1

Instrument :
 HPLC_N
 LabSampleId :
 8330-6

Integration File: events.e
 Quant Time: Nov 17 04:26:56 2012
 Quant Method : H:\VOL1\HPLC\HPLC_N\METHODS\HN101012.M
 Quant Title : SW8330 / 8330A confirmation
 QLast Update : Thu Oct 11 15:58:27 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

	Compound	R.T.	Response	Conc	Units

System Monitoring Compounds					
1) S	4-Nitroaniline	7.657	49582453	4758.067	ug/L
Target Compounds					
2) T	HMX	12.975	50964854	4748.094	ug/L
3) T	RDX	10.772	67788558	4834.438	ug/L
4) T	1,3,5-Trinitrobenzene	24.934	70696351	2415.568	ug/L
5) T	Tetryl	35.499	107562917	4905.873	ug/L
6) T	2,4,6-Trinitrotoluene	33.609	66259449	2421.198	ug/L
7) T	2-Amino-4,6-dinitroto...	16.314	117589435	2316.475	ug/L
8) T	4-Amino-2,6-dinitroto...	16.314	117589435	2316.475	ug/L
9) T	2,4-Dinitrotoluene	21.936	94589813	2431.113	ug/L
10) T	2,6-Dinitrotoluene	20.486	48868970	2421.559	ug/L
11) T	1,3-Dinitrobenzene	15.823	101315725	2465.697	ug/L
12) T	Nitrobenzene	12.289	66364745	2432.714	ug/L
13) T	2-Nitrotoluene	16.856	84855429	4883.845	ug/L
14) T	3-Nitrotoluene	18.106	91510984	4738.114	ug/L
15) T	4-Nitrotoluene	17.391	71529119	4746.061	ug/L
16) T	3,5-Dinitroaniline	13.721	165228808	4673.858	ug/L

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : S:\HPCHEM1\HPLC_N\Data\HN101012\
Data File : HN000524.D
Signal(s) : VWD1A.CH
Acq On : 10-Oct-2012, 18:28
Operator : HLM
Sample : 8330-6
Misc :
ALS Vial : 42 Sample Multiplier: 1

Instrument :
HPLC_N
LabSampleId :
8330-6

Integration File: events.e
Quant Time: Nov 17 04:26:56 2012
Quant Method : H:\VOL1\HPLC\HPLC_N\METHODS\HN101012.M
Quant Title : SW8330 / 8330A confirmation
QLast Update : Thu Oct 11 15:58:27 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

