

Data Path : S:\HPCHEM1\HPLC_N\Data\HN101012\
 Data File : HN000525.D
 Signal(s) : VWD1A.CH
 Acq On : 10-Oct-2012, 19:21
 Operator : HLM
 Sample : 8330-5
 Misc :
 ALS Vial : 43 Sample Multiplier: 1

Instrument :
 HPLC_N
 LabSampleId :
 8330-5

Integration File: events.e
 Quant Time: Nov 17 04:22:48 2012
 Quant Method : H:\VOL1\HPLC\HPLC_N\METHODS\HN101012.M
 Quant Title : SW8330 / 8330A confirmation
 QLast Update : Thu Oct 11 15:58:27 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

	Compound	R.T.	Response	Conc	Units

System Monitoring Compounds					
1) S	4-Nitroaniline	7.657	20794901	1995.535	ug/L
Target Compounds					
2) T	HMX	12.972	20542548	1913.828	ug/L
3) T	RDX	10.771	27293423	1946.470	ug/L
4) T	1,3,5-Trinitrobenzene	24.935	28727277	981.560	ug/L
5) T	Tetryl	35.501	42982996	1960.426	ug/L
6) T	2,4,6-Trinitrotoluene	33.612	26792959	979.046	ug/L
7) T	2-Amino-4,6-dinitroto...	16.310	47732778	940.321	ug/L
8) T	4-Amino-2,6-dinitroto...	16.310	47732778	940.321	ug/L
9) T	2,4-Dinitrotoluene	21.937	38292635	984.184	ug/L
10) T	2,6-Dinitrotoluene	20.487	19780769	980.178	ug/L
11) T	1,3-Dinitrobenzene	15.822	41013551	998.137	ug/L
12) T	Nitrobenzene	12.290	25470714	933.673	ug/L
13) T	2-Nitrotoluene	16.856	33120072	1906.222	ug/L
14) T	3-Nitrotoluene	18.106	35801906	1853.696	ug/L
15) T	4-Nitrotoluene	17.392	28366061	1882.129	ug/L
16) T	3,5-Dinitroaniline	13.719	66753216	1888.261	ug/L

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : S:\HPCHEM1\HPLC_N\Data\HN101012\
Data File : HN000525.D
Signal(s) : VWD1A.CH
Acq On : 10-Oct-2012, 19:21
Operator : HLM
Sample : 8330-5
Misc :
ALS Vial : 43 Sample Multiplier: 1

Instrument :
HPLC_N
LabSampleId :
8330-5

Integration File: events.e
Quant Time: Nov 17 04:22:48 2012
Quant Method : H:\VOL1\HPLC\HPLC_N\METHODS\HN101012.M
Quant Title : SW8330 / 8330A confirmation
QLast Update : Thu Oct 11 15:58:27 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :






#1 4-Nitroaniline


R.T.: 7.657 min
Delta R.T.: -0.002 min
Response: 20794901
Conc: 1995.54 ug/L

Instrument :
HPLC_N
LabSampleId :
8330-5




#2 HMX

R.T.: 12.972 min
Delta R.T.: -0.007 min
Response: 20542548
Conc: 1913.83 ug/L




#3 RDX

R.T.: 10.771 min
Delta R.T.: -0.005 min
Response: 27293423
Conc: 1946.47 ug/L



#4 1,3,5-Trinitrobenzene


R.T.: 24.935 min
Delta R.T.: -0.010 min
Response: 28727277
Conc: 981.56 ug/L



#5 Tetryl


R.T.: 35.501 min
Delta R.T.: 0.000 min
Response: 42982996
Conc: 1960.43 ug/L

Instrument :
HPLC_N
LabSampleId :
8330-5




#6 2,4,6-Trinitrotoluene

R.T.: 33.612 min
Delta R.T.: -0.002 min
Response: 26792959
Conc: 979.05 ug/L




#7 2-Amino-4,6-dinitrotoluene

R.T.: 16.310 min
Delta R.T.: -0.013 min
Response: 47732778
Conc: 940.32 ug/L



#8 4-Amino-2,6-dinitrotoluene


R.T.: 16.310 min
Delta R.T.: -0.013 min
Response: 47732778
Conc: 940.32 ug/L



#9 2,4-Dinitrotoluene


R.T.: 21.937 min
Delta R.T.: -0.014 min
Response: 38292635
Conc: 984.18 ug/L

Instrument :
HPLC_N
LabSampleId :
8330-5




#10 2,6-Dinitrotoluene

R.T.: 20.487 min
Delta R.T.: -0.016 min
Response: 19780769
Conc: 980.18 ug/L




#11 1,3-Dinitrobenzene

R.T.: 15.822 min
Delta R.T.: -0.013 min
Response: 41013551
Conc: 998.14 ug/L



#12 Nitrobenzene


R.T.: 12.290 min
Delta R.T.: -0.009 min
Response: 25470714
Conc: 933.67 ug/L



#13 2-Nitrotoluene


R.T.: 16.856 min
Delta R.T.: -0.014 min
Response: 33120072
Conc: 1906.22 ug/L

Instrument :
HPLC_N
LabSampleId :
8330-5




#14 3-Nitrotoluene

R.T.: 18.106 min
Delta R.T.: -0.015 min
Response: 35801906
Conc: 1853.70 ug/L



#15 4-Nitrotoluene

R.T.: 17.392 min
Delta R.T.: -0.014 min
Response: 28366061
Conc: 1882.13 ug/L



#16 3,5-Dinitroaniline

R.T.: 13.719 min
Delta R.T.: -0.010 min
Response: 66753216
Conc: 1888.26 ug/L