

Data Path : S:\HPCHEM1\HPLC_N\Data\HN101012\
 Data File : HN000530.D
 Signal(s) : VWD1A.CH
 Acq On : 10-Oct-2012, 23:44
 Operator : HLM
 Sample : 8330-ICV
 Misc :
 ALS Vial : 48 Sample Multiplier: 1

Instrument :
 HPLC_N
 ClientSampleId :
 ICVHN101012

Integration File: events.e
 Quant Time: Nov 17 04:27:32 2012
 Quant Method : H:\VOL1\HPLC\HPLC_N\METHODS\HN101012.M
 Quant Title : SW8330 / 8330A confirmation
 QLast Update : Thu Oct 11 16:07:34 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc	Units

System Monitoring Compounds				
Target Compounds				
2) T HMX	12.959	10189536	986.701	ug/L
3) T RDX	10.765	14060234	1009.095	ug/L
4) T 1,3,5-Trinitrobenzene	24.922	28990645	1040.304	ug/L
5) T Tetryl	35.475	21928005	1014.618	ug/L
6) T 2,4,6-Trinitrotoluene	33.595	28269593	1052.780	ug/L
7) T 2-Amino-4,6-dinitroto...	16.305	47611197	1019.819	ug/L
8) T 4-Amino-2,6-dinitroto...	16.305	47611197	1019.819	ug/L
9) T 2,4-Dinitrotoluene	21.935	36830679	972.344	ug/L
10) T 2,6-Dinitrotoluene	20.486	19586893	998.642	ug/L
11) T 1,3-Dinitrobenzene	15.822	40525384	1001.663	ug/L
12) T Nitrobenzene	12.293	25963058	993.965	ug/L
13) T 2-Nitrotoluene	16.862	16794110	1050.739	ug/L
14) T 3-Nitrotoluene	18.111	18442161	1002.090	ug/L
15) T 4-Nitrotoluene	17.397	14289685	1047.064	ug/L
16) T 3,5-Dinitroaniline	13.713	32275313	965.172	ug/L

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : S:\HPCHEM1\HPLC_N\Data\HN101012\
Data File : HN000530.D
Signal(s) : VWD1A.CH
Acq On : 10-Oct-2012, 23:44
Operator : HLM
Sample : 8330-ICV
Misc :
ALS Vial : 48 Sample Multiplier: 1

Instrument :
HPLC_N
ClientSampleId :
ICVHN101012

Integration File: events.e
Quant Time: Nov 17 04:27:32 2012
Quant Method : H:\VOL1\HPLC\HPLC_N\METHODS\HN101012.M
Quant Title : SW8330 / 8330A confirmation
QLast Update : Thu Oct 11 16:07:34 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :






#1 4-Nitroaniline


R.T.: 0.000 min
Exp R.T.: 7.661 min
Response: 0
Conc: N.D.

Instrument :
HPLC_N
ClientSampleId :
ICVHN101012




#2 HMX

R.T.: 12.959 min
Delta R.T.: -0.023 min
Response: 10189536
Conc: 986.70 ug/L




#3 RDX

R.T.: 10.765 min
Delta R.T.: -0.013 min
Response: 14060234
Conc: 1009.10 ug/L



#4 1,3,5-Trinitrobenzene


R.T.: 24.922 min
Delta R.T.: -0.022 min
Response: 28990645
Conc: 1040.30 ug/L



#5 Tetryl


R.T.: 35.475 min
Delta R.T.: -0.024 min
Response: 21928005
Conc: 1014.62 ug/L

Instrument :
HPLC_N
ClientSampleId :
ICVHN101012




#6 2,4,6-Trinitrotoluene

R.T.: 33.595 min
Delta R.T.: -0.019 min
Response: 28269593
Conc: 1052.78 ug/L




#7 2-Amino-4,6-dinitrotoluene

R.T.: 16.305 min
Delta R.T.: -0.018 min
Response: 47611197
Conc: 1019.82 ug/L



#8 4-Amino-2,6-dinitrotoluene


R.T.: 16.305 min
Delta R.T.: -0.018 min
Response: 47611197
Conc: 1019.82 ug/L



#9 2,4-Dinitrotoluene


R.T.: 21.935 min
Delta R.T.: -0.016 min
Response: 36830679
Conc: 972.34 ug/L

Instrument :
HPLC_N
ClientSampleId :
ICVHN101012




#10 2,6-Dinitrotoluene

R.T.: 20.486 min
Delta R.T.: -0.016 min
Response: 19586893
Conc: 998.64 ug/L




#11 1,3-Dinitrobenzene

R.T.: 15.822 min
Delta R.T.: -0.013 min
Response: 40525384
Conc: 1001.66 ug/L



#12 Nitrobenzene


R.T.: 12.293 min
Delta R.T.: -0.007 min
Response: 25963058
Conc: 993.97 ug/L



#13 2-Nitrotoluene


R.T.: 16.862 min
Delta R.T.: -0.009 min
Response: 16794110
Conc: 1050.74 ug/L

Instrument :
HPLC_N
ClientSampleId :
ICVHN101012




#14 3-Nitrotoluene

R.T.: 18.111 min
Delta R.T.: -0.009 min
Response: 18442161
Conc: 1002.09 ug/L



#15 4-Nitrotoluene

R.T.: 17.397 min
Delta R.T.: -0.009 min
Response: 14289685
Conc: 1047.06 ug/L



#16 3,5-Dinitroaniline

R.T.: 13.713 min
Delta R.T.: -0.016 min
Response: 32275313
Conc: 965.17 ug/L