

Data Path : S:\HPCHEM1\HPLC_N\Data\HN112012\
 Data File : HN000591.D
 Signal(s) : VWD1A.CH
 Acq On : 20-Nov-2012, 13:40
 Operator : HLM
 Sample : 8330-5
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 HPLC_N
 LabSampleId :
 8330-5

Integration File: events.e
 Quant Time: Nov 22 03:09:09 2012
 Quant Method : S:\HPCHEM1\HPLC_N\Method\HN112012.M
 Quant Title : SW8330 / 8330A confirmation
 QLast Update : Wed Nov 21 16:37:45 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc	Units

System Monitoring Compounds				
1) S 4-Nitroaniline	7.568	19668940	1950.786	ug/L
Target Compounds				
2) T HMX	12.714	20107498	1993.759	ug/L
3) T RDX	10.595	26975600	1956.323	ug/L
4) T 1,3,5-Trinitrobenzene	24.332	27883411	998.197	ug/L
5) T Tetryl	34.315	42550623	1972.754	ug/L
6) T 2,4,6-Trinitrotoluene	32.596	26422852	975.182	ug/L
7) T 2-Amino-4,6-dinitroto...	15.916	46910965	983.658	ug/L
8) T 4-Amino-2,6-dinitroto...	15.916	46910965	977.933	ug/L
9) T 2,4-Dinitrotoluene	21.375	37389452	973.269	ug/L
10) T 2,6-Dinitrotoluene	19.975	19359223	952.775	ug/L
11) T 1,3-Dinitrobenzene	15.509	40302125	953.882	ug/L
12) T Nitrobenzene	12.091	26016996	992.670	ug/L
13) T 2-Nitrotoluene	16.493	33722212	1995.218	ug/L
14) T 3-Nitrotoluene	17.700	35673697	1968.469	ug/L
15) T 4-Nitrotoluene	17.013	28335588	2032.374	ug/L
16) T 3,5-Dinitroaniline	13.439	65131041	1951.225	ug/L

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : S:\HPCHEM1\HPLC_N\Data\HN112012\
Data File : HN000591.D
Signal(s) : VWD1A.CH
Acq On : 20-Nov-2012, 13:40
Operator : HLM
Sample : 8330-5
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
HPLC_N
LabSampleId :
8330-5

Integration File: events.e
Quant Time: Nov 22 03:09:09 2012
Quant Method : S:\HPCHEM1\HPLC_N\Method\HN112012.M
Quant Title : SW8330 / 8330A confirmation
QLast Update : Wed Nov 21 16:37:45 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :






#1 4-Nitroaniline


R.T.: 7.568 min
 Delta R.T.: 0.002 min
 Response: 19668940
 Conc: 1950.79 ug/L

Instrument :
 HPLC_N
 LabSampleId :
 8330-5




#2 HMX

R.T.: 12.714 min
 Delta R.T.: 0.000 min
 Response: 20107498
 Conc: 1993.76 ug/L




#3 RDX

R.T.: 10.595 min
 Delta R.T.: 0.000 min
 Response: 26975600
 Conc: 1956.32 ug/L



#4 1,3,5-Trinitrobenzene


R.T.: 24.332 min
 Delta R.T.: -0.008 min
 Response: 27883411
 Conc: 998.20 ug/L



#5 Tetryl


R.T.: 34.315 min
Delta R.T.: -0.007 min
Response: 42550623
Conc: 1972.75 ug/L

Instrument :
HPLC_N
LabSampleId :
8330-5




#6 2,4,6-Trinitrotoluene

R.T.: 32.596 min
Delta R.T.: -0.007 min
Response: 26422852
Conc: 975.18 ug/L




#7 2-Amino-4,6-dinitrotoluene

R.T.: 15.916 min
Delta R.T.: -0.004 min
Response: 46910965
Conc: 983.66 ug/L



#8 4-Amino-2,6-dinitrotoluene


R.T.: 15.916 min
Delta R.T.: -0.004 min
Response: 46910965
Conc: 977.93 ug/L



#9 2,4-Dinitrotoluene


R.T.: 21.375 min
Delta R.T.: -0.008 min
Response: 37389452
Conc: 973.27 ug/L

Instrument :
HPLC_N
LabSampleId :
8330-5




#10 2,6-Dinitrotoluene

R.T.: 19.975 min
Delta R.T.: -0.007 min
Response: 19359223
Conc: 952.78 ug/L




#11 1,3-Dinitrobenzene

R.T.: 15.509 min
Delta R.T.: -0.004 min
Response: 40302125
Conc: 953.88 ug/L



#12 Nitrobenzene


R.T.: 12.091 min
Delta R.T.: 0.000 min
Response: 26016996
Conc: 992.67 ug/L



#13 2-Nitrotoluene


R.T.: 16.493 min
Delta R.T.: -0.004 min
Response: 33722212
Conc: 1995.22 ug/L

Instrument :
HPLC_N
LabSampleId :
8330-5




#14 3-Nitrotoluene

R.T.: 17.700 min
Delta R.T.: -0.005 min
Response: 35673697
Conc: 1968.47 ug/L



#15 4-Nitrotoluene

R.T.: 17.013 min
Delta R.T.: -0.005 min
Response: 28335588
Conc: 2032.37 ug/L



#16 3,5-Dinitroaniline

R.T.: 13.439 min
Delta R.T.: -0.002 min
Response: 65131041
Conc: 1951.22 ug/L