

Data Path : Z:\HPCHEM1\HPLC N\Data\HN112012\
 Data File : HN000600.D
 Signal(s) : VWD1A.CH
 Acq On : 20-Nov-2012, 21:33
 Operator : HLM
 Sample : 8330-ICV
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 HPLC_N
 LabSampleId :
 8330-ICV

Integration File: events.e
 Quant Time: Nov 22 03:01:44 2012
 Quant Method : H:\VOL1\HPLC\HPLC_N\METHODS\HN112012.M
 Quant Title : SW8330 / 8330A confirmation
 QLast Update : Wed Nov 21 16:37:16 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvaRF	CCRF	%Dev	Area%	Dev(Min)
2 T	HMX	10.085	10.348 E3	-2.6	0#	0.05
3 T	RDX	13.789	14.382 E3	-4.3	0#	0.03
4 T	1,3,5-Trinitrobenzene	27.934	29.772 E3	-6.6	0#	0.09
5 T	Tetryl	21.569	23.281 E3	-7.9	0#	0.16
6 T	2,4,6-Trinitrotoluene	27.095	29.000 E3	-7.0	0#	0.14
7 T	2-Amino-4,6-dinitrotoluene	47.690	48.999 E3	-2.7	0#	0.05
8 T	4-Amino-2,6-dinitrotoluene	47.969	48.999 E3	-2.1	0#	0.05
9 T	2,4-Dinitrotoluene	38.416	37.059 E3	3.5	0#	0.07
10 T	2,6-Dinitrotoluene	20.319	19.790 E3	2.6	0#	0.06
11 T	1,3-Dinitrobenzene	42.251	40.731 E3	3.6	0#	0.04
12 T	Nitrobenzene	26.209	26.848 E3	-2.4	0#	0.03
13 T	2-Nitrotoluene	16.902	17.350 E3	-2.7	0#	0.04
14 T	3-Nitrotoluene	18.123	18.261 E3	-0.8	0#	0.04
15 T	4-Nitrotoluene	13.942	14.501 E3	-4.0	0#	0.04
16 T	3,5-Dinitroaniline	33.380	33.142 E3	0.7	0#	0.04

Evaluate Continuing Calibration Report - Not Found

1 S	4-Nitroaniline	10.083	0.000 E3	100.0#	0#	-7.57#
17 T	Nitroglycerin	140.264	0.000	100.0#	0#	-22.45#
18 T	PETN	0.000	0.000	0.0	0#	-0.09

(#) = Out of Range

SPCC's out = 0 CCC's out = 0