

Data Path : Z:\HPCHEM1\HPLC N\Data\HN112012\
 Data File : HN000601.D
 Signal(s) : VWD1A.CH
 Acq On : 20-Nov-2012, 22:26
 Operator : HLM
 Sample : 8330NG-ICV
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 HPLC_N
 LabSampleId :
 8330NG-ICV

Integration File: events.e
 Quant Time: Nov 22 02:59:57 2012
 Quant Method : H:\VOL1\HPLC\HPLC_N\METHODS\HN1120A2.M
 Quant Title : SW8330 / 8330A confirmation
 QLast Update : Wed Nov 21 16:32:59 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(Min)
17 T	Nitroglycerin	10000.000	10489.098	-4.9	0	0.05

Evaluate Continuing Calibration Report - Not Found

1 S	4-Nitroaniline	1000.000	0.000	100.0#	0	-7.83#
2 T	HMX	1000.000	0.000	100.0#	0	-13.50#
3 T	RDX	1000.000	0.000	100.0#	0	-11.11#
4 T	1,3,5-Trinitrobenzene	500.000	0.000	100.0#	0	-25.89#
5 T	Tetryl	1000.000	0.000	100.0#	0	-37.40#
6 T	2,4,6-Trinitrotoluene	500.000	0.000	100.0#	0	-35.20#
7 T	2-Amino-4,6-dinitrotoluene	500.000	0.000	100.0#	0	-16.97#
8 T	4-Amino-2,6-dinitrotoluene	500.000	0.000	100.0#	0	-16.97#
9 T	2,4-Dinitrotoluene	500.000	0.000	100.0#	0	-22.82#
10 T	2,6-Dinitrotoluene	500.000	0.000	100.0#	0	-21.32#
11 T	1,3-Dinitrobenzene	500.000	0.000	100.0#	0	-16.35#
12 T	Nitrobenzene	500.000	0.000	100.0#	0	-12.64#
13 T	2-Nitrotoluene	1000.000	0.000	100.0#	0	-17.46#
14 T	3-Nitrotoluene	1000.000	0.000	100.0#	0	-18.77#
15 T	4-Nitrotoluene	1000.000	0.000	100.0#	0	-18.02#
16 T	3,5-Dinitroaniline	1000.000	0.000	100.0#	0	-14.21#
18 T	PETN	500.000	0.000	100.0#	0	-0.09

(#) = Out of Range

SPCC's out = 0 CCC's out = 0