

Data File : H:\VOL1\HPLC\HPLC_N\121120\HN000608.D
Acq On : 21-Nov-2012, 04:34
Sample : 8330NG-CCV
Misc :
IntFile : events.e

Vial: 10
Operator: HLM
Inst : G1314A
Multiplr: 1.00

Instrument :
HPLC_N
LabSampleId :
8330NG-CCV

Method : H:\VOL1\HPLC\HPLC_N\METHODS\HN112012.M (Chemstation Integrator)
Title : SW8330 / 8330A confirmation
Last Update : Wed Nov 21 16:37:45 2012
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
17 T	Nitroglycerin	140.264	148.363	-5.8	0#	0.11

Data File : H:\VOL1\HPLC\HPLC N\121120\HN000608.D
 Acq On : 21-Nov-2012, 04:34
 Sample : 8330NG-CCV
 Misc :
 IntFile : events.e

Vial: 10
 Operator: HLM
 Inst : G1314A
 Multiplr: 1.00

Instrument :
 HPLC_N
 LabSampleId :
 8330NG-CCV

Method : H:\VOL1\HPLC\HPLC_N\METHODS\HN112012.M (Chemstation Integrator)
 Title : SW8330 / 8330A confirmation
 Last Update : Wed Nov 21 16:37:45 2012
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	10.083	0.000 E3	100.0#	0#	-7.57#
2 T	HMX	10.085	0.000 E3	100.0#	0#	-12.71#
3 T	RDX	13.789	0.000 E3	100.0#	0#	-10.59#
4 T	1,3,5-Trinitrobenzene	27.934	0.000 E3	100.0#	0#	-24.34#
5 T	Tetryl	21.569	0.000 E3	100.0#	0#	-34.32#
6 T	2,4,6-Trinitrotoluene	27.095	0.000 E3	100.0#	0#	-32.60#
7 T	2-Amino-4,6-dinitrotoluene	47.690	0.000 E3	100.0#	0#	-15.92#
8 T	4-Amino-2,6-dinitrotoluene	47.969	0.000 E3	100.0#	0#	-15.92#
9 T	2,4-Dinitrotoluene	38.416	0.000 E3	100.0#	0#	-21.38#
10 T	2,6-Dinitrotoluene	20.319	0.000 E3	100.0#	0#	-19.98#
11 T	1,3-Dinitrobenzene	42.251	0.000 E3	100.0#	0#	-15.51#
12 T	Nitrobenzene	26.209	0.000 E3	100.0#	0#	-12.09#
13 T	2-Nitrotoluene	16.902	0.000 E3	100.0#	0#	-16.50#
14 T	3-Nitrotoluene	18.123	0.000 E3	100.0#	0#	-17.71#
15 T	4-Nitrotoluene	13.942	0.000 E3	100.0#	0#	-17.02#
16 T	3,5-Dinitroaniline	33.380	0.000 E3	100.0#	0#	-13.44#
18 T	PETN	0.000	0.000	0.0	0#	-0.09