

Data Path : S:\HPCHEM1\HPLC_N\Data\HN112012\
 Data File : HN000591.D
 Signal(s) : VWD1A.CH
 Acq On : 20-Nov-2012, 13:40
 Operator : HLM
 Sample : 8330-5
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 HPLC_N
 LabSampleId :
 8330-5

Integration File: events.e
 Quant Time: Nov 22 03:01:11 2012
 Quant Method : H:\VOL1\HPLC\HPLC_N\METHODS\HN112012.M
 Quant Title : SW8330 / 8330A confirmation
 QLast Update : Wed Nov 21 16:28:41 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

	Compound	R.T.	Response	Conc	Units

System Monitoring Compounds					
1) S	4-Nitroaniline	7.568	19668940	1901.086	ug/L
Target Compounds					
2) T	HMX	12.714	20107498	1947.103	ug/L
3) T	RDX	10.595	26975600	1936.024	ug/L
4) T	1,3,5-Trinitrobenzene	24.332	27883411	1000.572	ug/L
5) T	Tetryl	34.315	42550623	1968.835	ug/L
6) T	2,4,6-Trinitrotoluene	32.596	26422852	984.006	ug/L
7) T	2-Amino-4,6-dinitroto...	15.916	46910965	1004.820	ug/L
8) T	4-Amino-2,6-dinitroto...	15.916	46910965	1004.820	ug/L
9) T	2,4-Dinitrotoluene	21.375	37389452	987.096	ug/L
10) T	2,6-Dinitrotoluene	19.975	19359223	987.035	ug/L
11) T	1,3-Dinitrobenzene	15.509	40302125	996.145	ug/L
12) T	Nitrobenzene	12.091	26016996	996.030	ug/L
13) T	2-Nitrotoluene	16.493	33722212	2109.861	ug/L
14) T	3-Nitrotoluene	17.700	35673697	1948.215	ug/L
15) T	4-Nitrotoluene	17.013	28335588	2076.266	ug/L
16) T	3,5-Dinitroaniline	13.439	65131041	1947.701	ug/L

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : S:\HPCHEM1\HPLC_N\Data\HN112012\
Data File : HN000591.D
Signal(s) : VWD1A.CH
Acq On : 20-Nov-2012, 13:40
Operator : HLM
Sample : 8330-5
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
HPLC_N
LabSampleId :
8330-5

Integration File: events.e
Quant Time: Nov 22 03:01:11 2012
Quant Method : H:\VOL1\HPLC\HPLC_N\METHODS\HN112012.M
Quant Title : SW8330 / 8330A confirmation
QLast Update : Wed Nov 21 16:28:41 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :






#1 4-Nitroaniline


R.T.: 7.568 min
Delta R.T.: 0.004 min
Response: 19668940
Conc: 1901.09 ug/L

Instrument :
HPLC_N
LabSampleId :
8330-5




#2 HMX

R.T.: 12.714 min
Delta R.T.: 0.002 min
Response: 20107498
Conc: 1947.10 ug/L




#3 RDX

R.T.: 10.595 min
Delta R.T.: 0.003 min
Response: 26975600
Conc: 1936.02 ug/L



#4 1,3,5-Trinitrobenzene


R.T.: 24.332 min
Delta R.T.: -0.007 min
Response: 27883411
Conc: 1000.57 ug/L



#5 Tetryl


R.T.: 34.315 min
Delta R.T.: -0.004 min
Response: 42550623
Conc: 1968.83 ug/L

Instrument :
HPLC_N
LabSampleId :
8330-5




#6 2,4,6-Trinitrotoluene

R.T.: 32.596 min
Delta R.T.: -0.003 min
Response: 26422852
Conc: 984.01 ug/L




#7 2-Amino-4,6-dinitrotoluene

R.T.: 15.916 min
Delta R.T.: -0.002 min
Response: 46910965
Conc: 1004.82 ug/L



#8 4-Amino-2,6-dinitrotoluene


R.T.: 15.916 min
Delta R.T.: -0.002 min
Response: 46910965
Conc: 1004.82 ug/L



#9 2,4-Dinitrotoluene


R.T.: 21.375 min
Delta R.T.: -0.006 min
Response: 37389452
Conc: 987.10 ug/L

Instrument :
HPLC_N
LabSampleId :
8330-5




#10 2,6-Dinitrotoluene

R.T.: 19.975 min
Delta R.T.: -0.005 min
Response: 19359223
Conc: 987.03 ug/L




#11 1,3-Dinitrobenzene

R.T.: 15.509 min
Delta R.T.: -0.002 min
Response: 40302125
Conc: 996.15 ug/L



#12 Nitrobenzene


R.T.: 12.091 min
Delta R.T.: 0.001 min
Response: 26016996
Conc: 996.03 ug/L



#13 2-Nitrotoluene


R.T.: 16.493 min
Delta R.T.: -0.002 min
Response: 33722212
Conc: 2109.86 ug/L

Instrument :
HPLC_N
LabSampleId :
8330-5




#14 3-Nitrotoluene

R.T.: 17.700 min
Delta R.T.: -0.003 min
Response: 35673697
Conc: 1948.22 ug/L



#15 4-Nitrotoluene

R.T.: 17.013 min
Delta R.T.: -0.003 min
Response: 28335588
Conc: 2076.27 ug/L



#16 3,5-Dinitroaniline

R.T.: 13.439 min
Delta R.T.: 0.000 min
Response: 65131041
Conc: 1947.70 ug/L