

Data Path : S:\HPCHEM1\HPLC_N\Data\HN112012\
 Data File : HN000607.D
 Signal(s) : VWD1A.CH
 Acq On : 21-Nov-2012, 03:41
 Operator : HLM
 Sample : 8330-CCV
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 HPLC_N
 LabSampleId :
 8330-CCV

Integration File: events.e
 Quant Time: Nov 22 03:02:13 2012
 Quant Method : H:\VOL1\HPLC\HPLC_N\METHODS\HN112012.M
 Quant Title : SW8330 / 8330A confirmation
 QLast Update : Wed Nov 21 16:37:16 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc	Units

System Monitoring Compounds				
1) S 4-Nitroaniline	7.596f	10334062	1024.943	ug/L
Target Compounds				
2) T HMX	12.815f	10525139	1043.620	ug/L
3) T RDX	10.653f	14129394	1024.691	ug/L
4) T 1,3,5-Trinitrobenzene	24.509f	14731388	527.368	ug/L
5) T Tetryl	34.634f	22076599	1023.527	ug/L
6) T 2,4,6-Trinitrotoluene	32.868f	13688603	505.202	ug/L
7) T 2-Amino-4,6-dinitroto...	16.019f	24649940	516.875	ug/L
8) T 4-Amino-2,6-dinitroto...	16.019f	24649940	513.867	ug/L
9) T 2,4-Dinitrotoluene	21.508f	19904676	518.130	ug/L
10) T 2,6-Dinitrotoluene	20.098	10503683	516.945	ug/L
11) T 1,3-Dinitrobenzene	15.591f	21091763	499.206	ug/L
12) T Nitrobenzene	12.138f	13550988	517.033	ug/L
13) T 2-Nitrotoluene	16.572	17663291	1045.072	ug/L
14) T 3-Nitrotoluene	17.785	18815851	1038.256	ug/L
15) T 4-Nitrotoluene	17.094	14886938	1067.768	ug/L
16) T 3,5-Dinitroaniline	13.520f	34407765	1030.803	ug/L

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : S:\HPCHEM1\HPLC_N\Data\HN112012\
Data File : HN000607.D
Signal(s) : VWD1A.CH
Acq On : 21-Nov-2012, 03:41
Operator : HLM
Sample : 8330-CCV
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
HPLC_N
LabSampleId :
8330-CCV

Integration File: events.e
Quant Time: Nov 22 03:02:13 2012
Quant Method : H:\VOL1\HPLC\HPLC_N\METHODS\HN112012.M
Quant Title : SW8330 / 8330A confirmation
QLast Update : Wed Nov 21 16:37:16 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :






#1 4-Nitroaniline


R.T.: 7.596 min
Delta R.T.: 0.030 min
Response: 10334062
Conc: 1024.94 ug/L

Instrument :
HPLC_N
LabSampleId :
8330-CCV




#2 HMX

R.T.: 12.815 min
Delta R.T.: 0.101 min
Response: 10525139
Conc: 1043.62 ug/L




#3 RDX

R.T.: 10.653 min
Delta R.T.: 0.059 min
Response: 14129394
Conc: 1024.69 ug/L



#4 1,3,5-Trinitrobenzene


R.T.: 24.509 min
Delta R.T.: 0.168 min
Response: 14731388
Conc: 527.37 ug/L



#5 Tetryl


R.T.: 34.634 min
Delta R.T.: 0.312 min
Response: 22076599
Conc: 1023.53 ug/L

Instrument :
HPLC_N
LabSampleId :
8330-CCV




#6 2,4,6-Trinitrotoluene

R.T.: 32.868 min
Delta R.T.: 0.266 min
Response: 13688603
Conc: 505.20 ug/L




#7 2-Amino-4,6-dinitrotoluene

R.T.: 16.019 min
Delta R.T.: 0.099 min
Response: 24649940
Conc: 516.88 ug/L



#8 4-Amino-2,6-dinitrotoluene


R.T.: 16.019 min
Delta R.T.: 0.099 min
Response: 24649940
Conc: 513.87 ug/L



#9 2,4-Dinitrotoluene


R.T.: 21.508 min
Delta R.T.: 0.125 min
Response: 19904676
Conc: 518.13 ug/L

Instrument :
HPLC_N
LabSampleId :
8330-CCV




#10 2,6-Dinitrotoluene

R.T.: 20.098 min
Delta R.T.: 0.117 min
Response: 10503683
Conc: 516.94 ug/L




#11 1,3-Dinitrobenzene

R.T.: 15.591 min
Delta R.T.: 0.079 min
Response: 21091763
Conc: 499.21 ug/L



#12 Nitrobenzene


R.T.: 12.138 min
Delta R.T.: 0.046 min
Response: 13550988
Conc: 517.03 ug/L



#13 2-Nitrotoluene


R.T.: 16.572 min
Delta R.T.: 0.074 min
Response: 17663291
Conc: 1045.07 ug/L

Instrument :
HPLC_N
LabSampleId :
8330-CCV




#14 3-Nitrotoluene

R.T.: 17.785 min
Delta R.T.: 0.080 min
Response: 18815851
Conc: 1038.26 ug/L



#15 4-Nitrotoluene

R.T.: 17.094 min
Delta R.T.: 0.076 min
Response: 14886938
Conc: 1067.77 ug/L



#16 3,5-Dinitroaniline

R.T.: 13.520 min
Delta R.T.: 0.079 min
Response: 34407765
Conc: 1030.80 ug/L