

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN010715\HN007196.D\VWD1A.CH Vial: 6
 Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN010715\HN007196.D\VWD1A.CH
 Acq On : 07-Jan-2015, 14:45 Operator: TP
 Sample : HSTDICV0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN010715.M
 Title :
 Last Update : Thu Jan 08 10:25:19 2015
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	4.053	4.199 E3	-3.6	105	0.00
2 T	HMX	4.372	4.307 E3	1.5	101	0.00
3 T	RDX	5.435	5.304 E3	2.4	99	0.00
4 T	1,3,5-Trinitrobenzene	11.421	11.568 E3	-1.3	100	0.00
5 T	1,3-Dinitrobenzene	17.086	16.746 E3	2.0	99	-0.01
6 T	3,5-Dinitroaniline	13.243	12.894 E3	2.6	100	-0.02
7 T	Nitrobenzene	9.840	9.806 E3	0.3	99	-0.01
8 T	Tetryl	5.097	5.151 E3	-1.1	94	-0.05
9 T	2,4,6-Trinitrotoluene	12.196	12.300 E3	-0.9	102	-0.01
10 T	2-Amino-4,6-dinitrotoluene	10.696	10.385 E3	2.9	99	-0.02
11 T	4-Amino-2,6-dinitrotoluene	6.588	6.740 E3	-2.3	102	-0.02
12 T	2,4-Dinitrotoluene	15.141	14.921 E3	1.5	100	-0.02
13 T	2,6-Dinitrotoluene	8.352	8.382 E3	-0.4	100	-0.01
14 T	2-Nitrotoluene	6.598	6.661 E3	-1.0	102	0.02
15 T	4-Nitrotoluene	5.401	5.251 E3	2.8	101	0.02
16 T	3-Nitrotoluene	7.140	6.981 E3	2.2	99	0.07
17 T	PETN	8.682	9.602 E3	-10.6	120	0.15

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN010715\HN007196.D\VWD1A.CH Vial: 6
Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN010715\HN007196.D\VWD1A.CH
Acq On : 07-Jan-2015, 14:45 Operator: TP
Sample : HSTDICV0500 Inst : G1314A
Misc : Multiplr: 1.00
IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN010715.M
Title :
Last Update : Thu Jan 08 10:25:19 2015
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
----------	-------	------	------	-------	----------