

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN010715\HN007196.D\VWD1A.CH Vial: 6
Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN010715\HN007196.D\VWD1A.CH
Acq On : 07-Jan-2015, 14:45 Operator: TP
Sample : HSTDICV0500 Inst : G1314A
Misc : Multiplr: 1.00
IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN010715.M
Title :
Last Update : Thu Jan 08 11:51:36 2015
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	500.000	518.029	-3.6	105	0.00
2 T	HMX	500.000	492.553	1.5	101	0.00
3 T	RDX	500.000	487.909	2.4	99	0.00
4 T	1,3,5-Trinitrobenzene	500.000	506.427	-1.3	100	0.00
5 T	1,3-Dinitrobenzene	500.000	490.058	2.0	99	-0.01
6 T	3,5-Dinitroaniline	500.000	486.801	2.6	100	-0.02
7 T	Nitrobenzene	500.000	498.290	0.3	99	-0.01
8 T	Tetryl	500.000	424.409	15.1	94	-0.05
9 T	2,4,6-Trinitrotoluene	500.000	504.243	-0.8	102	-0.01
10 T	2-Amino-4,6-dinitrotoluene	500.000	485.439	2.9	99	-0.02
11 T	4-Amino-2,6-dinitrotoluene	500.000	511.511	-2.3	102	-0.02
12 T	2,4-Dinitrotoluene	500.000	492.745	1.5	100	-0.02
13 T	2,6-Dinitrotoluene	500.000	501.755	-0.4	100	-0.01
14 T	2-Nitrotoluene	500.000	504.758	-1.0	102	0.02
15 T	4-Nitrotoluene	500.000	486.105	2.8	101	0.02
16 T	3-Nitrotoluene	500.000	488.865	2.2	99	0.07
17 T	PETN	500.000	448.265	10.3	120	0.15

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN010715\HN007196.D\VWD1A.CH Vial: 6
 Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN010715\HN007196.D\VWD1A.CH
 Acq On : 07-Jan-2015, 14:45 Operator: TP
 Sample : HSTDICV0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN010715.M
 Title :
 Last Update : Thu Jan 08 11:51:36 2015
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
----------	--------	-------	------	-------	----------
