

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN010715\HN007205.D\VWD1A.CH Vial: 4
 Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN010715\HN007205.D\VWD1A.CH
 Acq On : 07-Jan-2015, 20:57 Operator: TP
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN010715.M
 Title :
 Last Update : Thu Jan 08 11:51:36 2015
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	500.000	515.801	-3.2	104	0.00
2 T	HMX	500.000	499.104	0.2	102	0.00
3 T	RDX	500.000	494.874	1.0	100	0.00
4 T	1,3,5-Trinitrobenzene	500.000	511.540	-2.3	101	0.00
5 T	1,3-Dinitrobenzene	500.000	488.959	2.2	99	0.00
6 T	3,5-Dinitroaniline	500.000	483.899	3.2	100	0.00
7 T	Nitrobenzene	500.000	496.883	0.6	99	0.00
8 T	Tetryl	500.000	433.513	13.3	95	0.00
9 T	2,4,6-Trinitrotoluene	500.000	502.658	-0.5	102	0.00
10 T	2-Amino-4,6-dinitrotoluene	500.000	488.072	2.4	99	0.00
11 T	4-Amino-2,6-dinitrotoluene	500.000	517.069	-3.4	103	0.01
12 T	2,4-Dinitrotoluene	500.000	501.837	-0.4	101	0.00
13 T	2,6-Dinitrotoluene	500.000	507.041	-1.4	101	0.00
14 T	2-Nitrotoluene	500.000	479.730	4.1	97	0.05
15 T	4-Nitrotoluene	500.000	456.926	8.6	95	0.04
16 T	3-Nitrotoluene	500.000	487.459	2.5	99	0.04
17 T	PETN	500.000	453.752	9.2	121	0.06

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN010715\HN007205.D\VWD1A.CH Vial: 4
Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN010715\HN007205.D\VWD1A.CH
Acq On : 07-Jan-2015, 20:57 Operator: TP
Sample : HSTDCCC0500 Inst : G1314A
Misc : Multiplr: 1.00
IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN010715.M
Title :
Last Update : Thu Jan 08 11:51:36 2015
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
----------	--------	-------	------	-------	----------