

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN010715\HN007204.D\VWD1A.CH Vial: 14
Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN010715\HN007204.D\VWD1A.CH
Acq On : 07-Jan-2015, 20:29 Operator: TP
Sample : F4368-06DL 100X Inst : G1314A
Misc : Multiplr: 1.00
IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e
Quant Time: Jan 8 11:37 2015 Quant Results File: HN010715.RES

Quant Method : Z:\HPCHEM1\HPLC_N\METHODS\HN010715.M
Title :
Last Update : Thu Jan 08 10:28:20 2015
Response via : Initial Calibration
DataAcq Meth : 8330AGIP.M

Volume Inj. : 50 ul
Signal #1 Phase : ZORBAX Extend-C18 Signal #2 Phase:
Signal #1 Info : 4.6 X 100mm 3.5-M Signal #2 Info :

Compound	R.T.	Response	Conc Units
----------	------	----------	------------

System Monitoring Compounds

Target Compounds

9) T	2,4,6-Trinitrotoluene	6.63	58043410	4759.042 ug/L
------	-----------------------	------	----------	---------------

Analyst Signature: _____ Analyst Name: _____ Date: _____

-----REASONS FOR MANUAL INTEGRATIONS-----

___Poor resolution of peaks exhibited on chromatogram.Compound #: _____

___Peak Integrated by software incorrectly.Compound #: _____

___OTHER: _____ Compound #: _____

(f)=RT Delta > 1/2 Window (m)=manual int.



HN007204.D HN010715.M Mon Jan 12 14:55:18 2015


Quantitation Report

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN010715\HN007204.D\VWD1A.CH Vial: 14
 Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN010715\HN007204.D\VWD1A.CH
 Acq On : 07-Jan-2015, 20:29 Operator: TP
 Sample : F4368-06DL 100X Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e
 Quant Time: Jan 8 11:37 2015 Quant Results File: HN010715.RES

Quant Method : Z:\HPCHEM1\HPLC_N\METHODS\HN010715.M
 Title :
 Last Update : Thu Jan 08 10:28:20 2015
 Response via : Multiple Level Calibration
 DataAcq Meth : 8330AGIP.M


Volume Inj. : 50 ul
 Signal #1 Phase : ZORBAX Extend-C18 Signal #2 Phase:
 Signal #1 Info : 4.6 X 100mm 3.5-M Signal #2 Info :





#1 4-Nitroaniline

R.T.: 0.000 min
Exp R.T.: 1.313 min
Response: 0
Conc: N.D.



#9 2,4,6-Trinitrotoluene

R.T.: 6.626 min
Delta R.T.: 0.010 min
Response: 58043410
Conc: 4759.04 ug/L