

Evaluate Continuing Calibration Report

Data File : S:\HPCHEM1\HPLC_N\DATA\HN012114\HN005780.D Vial: 7
 Acq On : 21-Jan-2014, 14:02 Operator: QM
 Sample : HSTDICV005 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : AUTOINT1.E

Instrument :
 HPLC_N
 ClientSampleId :
 ICVHN012114NG

Method : Z:\HPCHEM1\HPLC_N\METHOD\HN0121NG.M
 Title :
 Last Update : Tue Jan 21 14:02:23 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	5.000	4.776	4.5	96	0.00
2 T	Nitroglycerin	5.000	5.920	-18.4	122	0.04

Evaluate Continuing Calibration Report - Not Found

Data File : S:\HPCHEM1\HPLC_N\DATA\HN012114\HN005780.D Vial: 7
 Acq On : 21-Jan-2014, 14:02 Operator: QM
 Sample : HSTDICV005 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : AUTOINT1.E

Instrument :
 HPLC_N
 ClientSampleId :
 ICVHN012114NG

Method : Z:\HPCHEM1\HPLC_N\METHOD\HN0121NG.M
 Title :
 Last Update : Tue Jan 21 14:02:23 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
----------	--------	-------	------	-------	----------