

Evaluate Continuing Calibration Report

Data File : S:\HPCHEM1\HPLC_N\DATA\HN012114\HN005801.D Vial: 27
 Acq On : 21-Jan-2014, 20:21 Operator: QM
 Sample : HSTDICV0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_N
 ClientSampleId :
 ICVHN012114

Method : Z:\HPCHEM1\HPLC_N\METHOD\HN012114.M
 Title :
 Last Update : Fri Jan 24 13:04:26 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	3.767	4.080 E3	-8.3	104	0.00
2 T	HMX	4.289	4.127 E3	3.8	101	0.00
3 T	RDX	5.735	5.707 E3	0.5	97	0.00
4 T	1,3,5-Trinitrobenzene	10.763	10.439 E3	3.0	98	0.00
5 T	1,3-Dinitrobenzene	16.132	16.125 E3	0.0	100	0.00
6 T	3,5-Dinitroaniline	12.516	13.982 E3	-11.7	112	0.00
7 T	Nitrobenzene	10.751	10.226 E3	4.9	98	0.00
8 T	Tetryl	6.896	7.726 E3	-12.0	113	0.00
9 T	2,4,6-Trinitrotoluene	10.660	10.289 E3	3.5	99	0.00
10 T	2-Amino-4,6-dinitrotoluene	11.430	10.883 E3	4.8	101	0.01
11 T	4-Amino-2,6-dinitrotoluene	5.780	6.888 E3	-19.2	107	0.01
12 T	2,4-Dinitrotoluene	15.299	14.984 E3	2.1	101	0.01
13 T	2,6-Dinitrotoluene	8.440	8.722 E3	-3.3	101	0.01
14 T	2-Nitrotoluene	6.619	6.503 E3	1.8	102	0.03
15 T	4-Nitrotoluene	5.340	5.419 E3	-1.5	104	0.01
16 T	3-Nitrotoluene	6.674	6.739 E3	-1.0	100	0.02
17 T	PETN	8.330	9.071 E3	-8.9	102	0.04

Evaluate Continuing Calibration Report - Not Found

Data File : S:\HPCHEM1\HPLC_N\DATA\HN012114\HN005801.D Vial: 27
 Acq On : 21-Jan-2014, 20:21 Operator: QM
 Sample : HSTDICV0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_N
 ClientSampleId :
 ICVHN012114

Method : Z:\HPCHEM1\HPLC_N\METHOD\HN012114.M
 Title :
 Last Update : Fri Jan 24 13:04:26 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
----------	-------	------	------	-------	----------