

Evaluate Continuing Calibration Report

Data File : S:\HPCHEM1\HPLC_N\DATA\HN012114\HN005804.D Vial: 24
 Acq On : 21-Jan-2014, 21:42 Operator: QM
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_N
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_N\METHOD\HN012114.M
 Title :
 Last Update : Fri Jan 24 13:04:26 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	3.767	4.450 E3	-18.1	113	0.00
2 T	HMX	4.289	4.128 E3	3.8	101	0.00
3 T	RDX	5.735	5.588 E3	2.6	95	0.00
4 T	1,3,5-Trinitrobenzene	10.763	10.531 E3	2.2	99	0.00
5 T	1,3-Dinitrobenzene	16.132	16.090 E3	0.3	100	0.00
6 T	3,5-Dinitroaniline	12.516	12.468 E3	0.4	100	0.00
7 T	Nitrobenzene	10.751	10.295 E3	4.2	99	0.00
8 T	Tetryl	6.896	6.830 E3	1.0	100	0.01
9 T	2,4,6-Trinitrotoluene	10.660	10.374 E3	2.7	100	0.01
10 T	2-Amino-4,6-dinitrotoluene	11.430	10.825 E3	5.3	100	0.02
11 T	4-Amino-2,6-dinitrotoluene	5.780	6.447 E3	-11.5	101	0.02
12 T	2,4-Dinitrotoluene	15.299	15.129 E3	1.1	102	0.02
13 T	2,6-Dinitrotoluene	8.440	8.783 E3	-4.1	102	0.02
14 T	2-Nitrotoluene	6.619	6.361 E3	3.9	100	0.03
15 T	4-Nitrotoluene	5.340	5.188 E3	2.8	99	0.03
16 T	3-Nitrotoluene	6.674	6.639 E3	0.5	99	0.03
17 T	PETN	8.330	7.745 E3	7.0	87	0.08

Evaluate Continuing Calibration Report - Not Found

Data File : S:\HPCHEM1\HPLC_N\DATA\HN012114\HN005804.D Vial: 24
 Acq On : 21-Jan-2014, 21:42 Operator: QM
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_N
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_N\METHOD\HN012114.M
 Title :
 Last Update : Fri Jan 24 13:04:26 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
----------	-------	------	------	-------	----------