

Evaluate Continuing Calibration Report

Data File : S:\HPCHEM1\HPLC_N\DATA\HN012114\HN005804.D Vial: 24
 Acq On : 21-Jan-2014, 21:42 Operator: QM
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_N
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_N\METHOD\HN012114.M
 Title :
 Last Update : Fri Jan 24 13:04:26 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	500.000	590.709	-18.1	113	0.00
2 T	HMX	500.000	481.235	3.8	101	0.00
3 T	RDX	500.000	487.166	2.6	95	0.00
4 T	1,3,5-Trinitrobenzene	500.000	489.232	2.2	99	0.00
5 T	1,3-Dinitrobenzene	500.000	498.685	0.3	100	0.00
6 T	3,5-Dinitroaniline	500.000	498.091	0.4	100	0.00
7 T	Nitrobenzene	500.000	478.812	4.2	99	0.00
8 T	Tetryl	500.000	495.237	1.0	100	0.01
9 T	2,4,6-Trinitrotoluene	500.000	486.556	2.7	100	0.01
10 T	2-Amino-4,6-dinitrotoluene	500.000	473.546	5.3	100	0.02
11 T	4-Amino-2,6-dinitrotoluene	500.000	557.652	-11.5	101	0.02
12 T	2,4-Dinitrotoluene	500.000	494.474	1.1	102	0.02
13 T	2,6-Dinitrotoluene	500.000	520.272	-4.1	102	0.02
14 T	2-Nitrotoluene	500.000	480.510	3.9	100	0.03
15 T	4-Nitrotoluene	500.000	485.733	2.9	99	0.03
16 T	3-Nitrotoluene	500.000	497.373	0.5	99	0.03
17 T	PETN	500.000	464.904	7.0	87	0.08

Evaluate Continuing Calibration Report - Not Found

Data File : S:\HPCHEM1\HPLC_N\DATA\HN012114\HN005804.D Vial: 24
 Acq On : 21-Jan-2014, 21:42 Operator: QM
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_N
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_N\METHOD\HN012114.M
 Title :
 Last Update : Fri Jan 24 13:04:26 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
----------	--------	-------	------	-------	----------