

Evaluate Continuing Calibration Report

Data File : S:\HPCHEM1\HPLC_N\DATA\HN012114\HN005814.D Vial: 24
 Acq On : 22-Jan-2014, 02:12 Operator: QM
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_N
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_N\METHOD\HN012114.M
 Title :
 Last Update : Fri Jan 24 13:04:26 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	3.767	4.344 E3	-15.3	111	0.00
2 T	HMX	4.289	4.218 E3	1.7	103	0.00
3 T	RDX	5.735	5.564 E3	3.0	95	0.00
4 T	1,3,5-Trinitrobenzene	10.763	10.575 E3	1.7	100	0.00
5 T	1,3-Dinitrobenzene	16.132	16.198 E3	-0.4	101	0.01
6 T	3,5-Dinitroaniline	12.516	12.501 E3	0.1	100	0.02
7 T	Nitrobenzene	10.751	10.240 E3	4.8	98	0.02
8 T	Tetryl	6.896	6.862 E3	0.5	100	0.05
9 T	2,4,6-Trinitrotoluene	10.660	10.444 E3	2.0	101	0.04
10 T	2-Amino-4,6-dinitrotoluene	11.430	10.822 E3	5.3	100	0.05
11 T	4-Amino-2,6-dinitrotoluene	5.780	6.538 E3	-13.1	102	0.06
12 T	2,4-Dinitrotoluene	15.299	15.084 E3	1.4	101	0.06
13 T	2,6-Dinitrotoluene	8.440	8.897 E3	-5.4	103	0.06
14 T	2-Nitrotoluene	6.619	6.308 E3	4.7	99	0.09
15 T	4-Nitrotoluene	5.340	5.006 E3	6.3	96	0.10
16 T	3-Nitrotoluene	6.674	6.565 E3	1.6	98	0.09
17 T	PETN	8.330	7.783 E3	6.6	87	0.16

Evaluate Continuing Calibration Report - Not Found

Data File : S:\HPCHEM1\HPLC_N\DATA\HN012114\HN005814.D Vial: 24
 Acq On : 22-Jan-2014, 02:12 Operator: QM
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_N
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_N\METHOD\HN012114.M
 Title :
 Last Update : Fri Jan 24 13:04:26 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
----------	-------	------	------	-------	----------