

Method Path : Z:\HPCHEM1\HPLC_N\METHODS\
 Method File : HN031315.M
 Title :
 Last Update : Sat Mar 14 02:25:45 2015
 Response Via : Initial Calibration

Calibration Files

500 =HN007256.D 2000 =HN007254.D 1000 =HN007255.D
 200 =HN007257.D 100 =HN007258.D

	Compound	500	2000	1000	200	100	Avg		%RSD

1) S	4-Nitroaniline	3.860	3.725	3.786	3.829	3.924	3.825	E3	1.96
2) T	HMX	4.574	4.526	4.549	4.568	4.708	4.585	E3	1.55
3) T	RDX	5.620	5.455	5.529	5.559	5.632	5.559	E3	1.30
4) T	1,3,5-Trinitrobenzene	1.122	1.090	1.100	1.129	1.167	1.121	E4	2.69
5) T	1,3-Dinitrobenzene	1.695	1.669	1.672	1.668	1.736	1.688	E4	1.70
6) T	3,5-Dinitroaniline	1.350	1.332	1.333	1.326	1.361	1.340	E4	1.10
7) T	Nitrobenzene	0.998	0.980	0.979	0.992	1.033	0.996	E4	2.17
8) T	Tetryl	8.250	7.631	7.900	8.002	8.449	8.046	E3	3.93
9) T	2,4,6-Trinitrotoluene	1.128	1.108	1.107	1.095	1.120	1.112	E4	1.15
10) T	2-Amino-4,6-dinitr...	1.123	1.128	1.105	1.067	1.128	1.110	E4	2.34
11) T	4-Amino-2,6-dinitr...	7.115	6.618	6.978	7.039	7.232	6.996	E3	3.31
12) T	2,4-Dinitrotoluene	1.525	1.508	1.505	1.491	1.554	1.517	E4	1.59
13) T	2,6-Dinitrotoluene	8.458	8.220	8.307	8.446	8.710	8.428	E3	2.21
14) T	2-Nitrotoluene	6.779	6.401	6.473	7.036	7.403	6.818	E3	6.07
15) T	4-Nitrotoluene	5.892	5.382	5.512	7.144	8.215	6.429	E3	18.93
16) T	3-Nitrotoluene	6.638	6.595	6.555	6.850	6.992	6.726	E3	2.78
17) T	PETN	0.918	0.855	0.858	1.046	1.202	0.976	E4	15.20

(#) = Out of Range