

Data Path : Z:\HPCHEM1\HPLC_N\Data\HN042814\
Data File : HN005955.D
Signal(s) : VWD1A.CH
Acq On : 28-Apr-2014, 20:33
Operator : HNP
Sample : HSTDCCC0500
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
HPLC_N
LabSampleId :
HSTDCCC0500

Integration File: autoint1.e
Quant Time: Apr 29 16:45:07 2014
Quant Method : Z:\HPCHEM1\HPLC_N\METHODS\HN042814.M
Quant Title :
QLast Update : Tue Apr 29 09:06:37 2014
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 50 ul
Signal Phase : ZORBAX Extend-C18
Signal Info : 4.6 X 100mm 3.5-Micron 80A

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(Min)
1 S	4-Nitroaniline	500.000	576.390	-15.3	101	0.00
2 T	HMX	500.000	450.303	9.9	102	0.00
3 T	RDX	500.000	429.871	14.0	98	0.00
4 T	1,3,5-Trinitrobenzene	500.000	457.220	8.6	100	-0.01
5 T	1,3-Dinitrobenzene	500.000	473.688	5.3	99	-0.02
6 T	3,5-Dinitroaniline	500.000	556.446	-11.3	100	-0.02
7 T	Nitrobenzene	500.000	483.707	3.3	100	-0.02
8 T	Tetryl	500.000	476.061	4.8	99	-0.02
9 T	2,4,6-Trinitrotoluene	500.000	435.259	12.9	101	-0.02
10 T	2-Amino-4,6-dinitrotoluene	500.000	449.410	10.1	100	-0.02
11 T	4-Amino-2,6-dinitrotoluene	500.000	486.746	2.7	99	-0.02
12 T	2,4-Dinitrotoluene	500.000	454.658	9.1	101	-0.01
13 T	2,6-Dinitrotoluene	500.000	472.571	5.5	102	-0.02
14 T	2-Nitrotoluene	500.000	490.977	1.8	100	0.00
15 T	4-Nitrotoluene	500.000	475.060	5.0	97	0.01
16 T	3-Nitrotoluene	500.000	459.526	8.1	100	0.02
17 T	PETN	500.000	562.927	-12.6	114	0.07

Evaluate Continuing Calibration Report - Not Found

(#) = Out of Range

SPCC's out = 0 CCC's out = 0