

Data Path : Z:\HPCHEM1\HPLC_N\Data\HN042814\
Data File : HN005975.D
Signal(s) : VWD1A.CH
Acq On : 29-Apr-2014, 05:34
Operator : HNP
Sample : HSTDCCC0500
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
HPLC_N
LabSampleId :
HSTDCCC0500

Integration File: autoint1.e
Quant Time: Apr 29 16:46:12 2014
Quant Method : Z:\HPCHEM1\HPLC_N\METHODS\HN042814.M
Quant Title :
QLast Update : Tue Apr 29 09:06:37 2014
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 50 ul
Signal Phase : ZORBAX Extend-C18
Signal Info : 4.6 X 100mm 3.5-Micron 80A

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(Min)
1 S	4-Nitroaniline	500.000	612.497	-22.5	108	0.00
2 T	HMX	500.000	452.441	9.5	102	0.00
3 T	RDX	500.000	511.954	-2.4	117	0.00
4 T	1,3,5-Trinitrobenzene	500.000	458.441	8.3	101	0.00
5 T	1,3-Dinitrobenzene	500.000	479.628	4.1	101	0.00
6 T	3,5-Dinitroaniline	500.000	565.096	-13.0	101	0.00
7 T	Nitrobenzene	500.000	493.732	1.3	102	0.00
8 T	Tetryl	500.000	457.300	8.5	95	0.04
9 T	2,4,6-Trinitrotoluene	500.000	445.999	10.8	103	0.03
10 T	2-Amino-4,6-dinitrotoluene	500.000	446.074	10.8	99	0.05
11 T	4-Amino-2,6-dinitrotoluene	500.000	497.106	0.6	102	0.05
12 T	2,4-Dinitrotoluene	500.000	448.050	10.4	100	0.05
13 T	2,6-Dinitrotoluene	500.000	450.478	9.9	97	0.05
14 T	2-Nitrotoluene	500.000	478.120	4.4	97	0.09
15 T	4-Nitrotoluene	500.000	468.525	6.3	96	0.12
16 T	3-Nitrotoluene	500.000	459.503	8.1	100	0.12

Evaluate Continuing Calibration Report - Not Found

17 T	PETN	500.000	0.000	100.0#	0	-20.34#
------	------	---------	-------	--------	---	---------

(#)= Out of Range

SPCC's out = 0 CCC's out = 0