

Data Path : Z:\HPCHEM1\HPLC_N\Data\HN043014\
Data File : HN006016.D
Signal(s) : VWD1A.CH
Acq On : 30-Apr-2014, 11:31
Operator : HNP
Sample : HSTDCCC0500
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
HPLC_N
LabSampleId :
HSTDCCC0500

Integration File: autoint1.e
Quant Time: Apr 30 13:49:04 2014
Quant Method : Z:\HPCHEM1\HPLC_N\METHODS\HN042914.M
Quant Title :
QLast Update : Wed Apr 30 12:52:07 2014
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 50 ul
Signal Phase : ZORBAX Extend-C18
Signal Info : 4.6 X 100mm 3.5-Micron 80A

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(Min)
1 S	4-Nitroaniline	500.000	584.607	-16.9	99	0.01
2 T	HMX	500.000	456.368	8.7	100	0.00
3 T	RDX	500.000	477.186	4.6	99	0.02
4 T	1,3,5-Trinitrobenzene	500.000	448.639	10.3	99	0.02
5 T	1,3-Dinitrobenzene	500.000	468.731	6.3	99	0.03
6 T	3,5-Dinitroaniline	500.000	562.122	-12.4	99	0.03
7 T	Nitrobenzene	500.000	488.012	2.4	101	0.03
8 T	Tetryl	500.000	473.354	5.3	96	0.06
9 T	2,4,6-Trinitrotoluene	500.000	456.208	8.8	100	0.05
10 T	2-Amino-4,6-dinitrotoluene	500.000	443.862	11.2	101	0.07
11 T	4-Amino-2,6-dinitrotoluene	500.000	488.308	2.3	100	0.07
12 T	2,4-Dinitrotoluene	500.000	441.294	11.7	99	0.07
13 T	2,6-Dinitrotoluene	500.000	485.219	3.0	102	0.07
14 T	2-Nitrotoluene	500.000	441.567	11.7	93	0.11
15 T	4-Nitrotoluene	500.000	454.216	9.2	95	0.10
16 T	3-Nitrotoluene	500.000	490.295	1.9	107	0.08
17 T	PETN	500.000	551.572	-10.3	100	0.10

Evaluate Continuing Calibration Report - Not Found

(#) = Out of Range

SPCC's out = 0 CCC's out = 0