

Data Path : Z:\HPCHEM1\HPLC_N\Data\HN052015\
Data File : HN007370.D
Signal(s) : vwd1A.ch
Acq On : 20-May-2015, 21:47
Operator : TP/IZ
Sample : HSTDCCC0500
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
HPLC_N
LabSampleId :
HSTDCCC0500

Integration File: autoint1.e
Quant Time: May 21 13:56:59 2015
Quant Method : Z:\HPCHEM1\HPLC_N\Methods\HN052015.M
Quant Title :
QLast Update : Thu May 21 13:50:13 2015
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 50 ul
Signal Phase : ZORBAX Extend-C18
Signal Info : 4.6 X 100mm 3.5-Micron 80A

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(Min)
1 S	4-Nitroaniline	500.000	449.021	10.2	92	0.00
2 T	HMX	500.000	488.101	2.4	99	0.00
3 T	RDX	500.000	479.101	4.2	98	0.00
4 T	1,3,5-Trinitrobenzene	500.000	490.400	1.9	100	0.00
5 T	1,3-Dinitrobenzene	500.000	486.673	2.7	99	0.00
6 T	3,5-Dinitroaniline	500.000	482.818	3.4	99	-0.01
7 T	Nitrobenzene	500.000	490.903	1.8	103	-0.01
8 T	Tetryl	500.000	491.169	1.8	98	-0.01
9 T	2,4,6-Trinitrotoluene	500.000	487.301	2.5	99	-0.01
10 T	2-Amino-4,6-dinitrotoluene	500.000	479.161	4.2	98	-0.01
11 T	4-Amino-2,6-dinitrotoluene	500.000	437.718	12.5	81	-0.01
12 T	2,4-Dinitrotoluene	500.000	390.759	21.8	84	0.00
13 T	2,6-Dinitrotoluene	500.000	371.019	25.8#	82	0.00
14 T	2-Nitrotoluene	500.000	489.930	2.0	99	0.00
15 T	4-Nitrotoluene	500.000	480.324	3.9	97	0.00
16 T	3-Nitrotoluene	500.000	479.706	4.1	96	0.01
17 T	PETN	500.000	434.756	13.0	84	0.05

Evaluate Continuing Calibration Report - Not Found

(#) = Out of Range

SPCC's out = 0 CCC's out = 0