

Method Path : Z:\HPCHEM1\HPLC_N\Methods\
 Method File : HN052115.M
 Title :
 Last Update : Fri May 22 03:56:44 2015
 Response Via : Initial Calibration

Calibration Files

500 =HN007373.D 2000 =HN007376.D 1000 =HN007375.D
 200 =HN007372.D 100 =HN007371.D 750 =HN007374.D

	Compound	500	2000	1000	200	100	750	Avg		%RSD

1) S	4-Nitroaniline	3.973	4.492	4.502	4.265	4.288	4.200	4.287	E3	4.61
2) T	HMX	4.348	4.396	4.353	4.842	4.948	4.543	4.572	E3	5.73
3) T	RDX	5.425	5.544	5.426	5.837	5.741	5.656	5.605	E3	3.02
4) T	1,3,5-Trinitr...	1.091	1.121	1.094	1.163	1.116	1.144	1.122	E4	2.52
5) T	1,3-Dinitrobe...	1.665	1.677	1.650	1.813	1.775	1.740	1.720	E4	3.84
6) T	3,5-Dinitroan...	1.316	1.316	1.297	1.453	1.473	1.371	1.371	E4	5.53
7) T	Nitrobenzene	0.993	1.006	0.988	1.084	1.116	1.043	1.038	E4	5.06
8) T	Tetryl	7.993	7.915	7.873	8.817	8.575	8.266	8.240	E3	4.69
9) T	2,4,6-Trinitr...	1.125	1.129	1.121	1.218	1.224	1.176	1.165	E4	4.05
10) T	2-Amino-4,6-d...	1.102	1.158	1.115	1.210	1.195	1.180	1.160	E4	3.76
11) T	4-Amino-2,6-d...	7.211	7.272	8.013	8.005	8.424	8.926	7.975	E3	8.29
12) T	2,4-Dinitroto...	1.502	1.613	1.674	1.671	1.679	1.798	1.656	E4	5.85
13) T	2,6-Dinitroto...	8.501	8.837	9.214	9.625	9.101	9.807	9.181	E3	5.29
14) T	2-Nitrotoluene	6.421	6.459	6.446	7.033	6.541	6.727	6.604	E3	3.60
15) T	4-Nitrotoluene	5.309	5.291	5.270	5.765	5.318	5.429	5.397	E3	3.49
16) T	3-Nitrotoluene	6.785	6.777	6.670	7.728	7.030	6.868	6.976	E3	5.55
17) T	PETN	0.899	0.898	0.900	1.039	0.907	0.926	0.928	E4	5.95

(#) = Out of Range