

Data Path : Z:\HPCHEM1\HPLC_N\Data\HN052115\
Data File : HN007381.D
Signal(s) : vwd1A.ch
Acq On : 21-May-2015, 20:09
Operator : TP/IZ
Sample : HSTDCCC0500
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
HPLC_N
LabSampleId :
HSTDCCC0500

Integration File: autoint1.e
Quant Time: May 22 03:58:33 2015
Quant Method : Z:\HPCHEM1\HPLC_N\Methods\HN052115.M
Quant Title :
QLast Update : Fri May 22 03:56:44 2015
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 50 ul
Signal Phase : ZORBAX Extend-C18
Signal Info : 4.6 X 100mm 3.5-Micron 80A

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(Min)
1 S	4-Nitroaniline	500.000	463.873	7.2	100	0.00
2 T	HMX	500.000	472.567	5.5	99	0.00
3 T	RDX	500.000	478.681	4.3	99	0.00
4 T	1,3,5-Trinitrobenzene	500.000	488.240	2.4	100	0.00
5 T	1,3-Dinitrobenzene	500.000	483.906	3.2	100	0.00
6 T	3,5-Dinitroaniline	500.000	480.337	3.9	100	0.00
7 T	Nitrobenzene	500.000	480.875	3.8	101	0.01
8 T	Tetryl	500.000	472.922	5.4	98	0.02
9 T	2,4,6-Trinitrotoluene	500.000	481.669	3.7	100	0.02
10 T	2-Amino-4,6-dinitrotoluene	500.000	472.661	5.5	99	0.02
11 T	4-Amino-2,6-dinitrotoluene	500.000	474.373	5.1	105	0.03
12 T	2,4-Dinitrotoluene	500.000	475.531	4.9	105	0.02
13 T	2,6-Dinitrotoluene	500.000	484.215	3.2	105	0.02
14 T	2-Nitrotoluene	500.000	461.661	7.7	95	0.04
15 T	4-Nitrotoluene	500.000	474.912	5.0	97	0.03
16 T	3-Nitrotoluene	500.000	485.233	3.0	100	0.04
17 T	PETN	500.000	484.855	3.0	100	0.04

Evaluate Continuing Calibration Report - Not Found

(#) = Out of Range

SPCC's out = 0 CCC's out = 0