

Evaluate Continuing Calibration Report

Data File : Z:\HPCHEM1\HPLC_N\DATA\HN052813\HN005278.D Vial: 7
 Acq On : 28-May-2013, 13:10 Operator: QM
 Sample : HSTDICV005 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : AUTOINT1.E

Instrument :
 HPLC_N
 ClientSampleId :
 ICVHN052813

Method : Z:\HPCHEM1\HPLC_N\METHOD\HN052813.M
 Title :
 Last Update : Tue Jun 04 17:36:16 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	5.000	5.076	-1.5	100	0.21
2 T	Nitroglycerin	5.000	5.060	-1.2	99	1.15#

Evaluate Continuing Calibration Report - Not Found

Data File : Z:\HPCHEM1\HPLC_N\DATA\HN052813\HN005278.D Vial: 7
 Acq On : 28-May-2013, 13:10 Operator: QM
 Sample : HSTDICV005 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : AUTOINT1.E

Instrument :
 HPLC_N
 ClientSampleId :
 ICVHN052813

Method : Z:\HPCHEM1\HPLC_N\METHOD\HN052813.M
 Title :
 Last Update : Tue Jun 04 17:36:16 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
----------	--------	-------	------	-------	----------