

Evaluate Continuing Calibration Report

Data File : Z:\HPCHEM1\HPLC_N\DATA\HN052914\HN006065.D Vial: 8
 Acq On : 29-May-2014, 16:33 Operator: HNP
 Sample : HSTDCCC05 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : AUTOINT1.E

Instrument :
 HPLC_N
 ClientSampleId :
 HSTDCCC05

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN0529NG.M
 Title :
 Last Update : Fri May 30 03:32:30 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	3.694	3.855 E6	-4.4	109	0.00
2 T	Nitroglycerin	7.329	7.453 E6	-1.7	96	0.02

Evaluate Continuing Calibration Report - Not Found

Data File : Z:\HPCHEM1\HPLC_N\DATA\HN052914\HN006065.D Vial: 8
 Acq On : 29-May-2014, 16:33 Operator: HNP
 Sample : HSTDCCC05 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : AUTOINT1.E

Instrument :
 HPLC_N
 ClientSampleId :
 HSTDCCC05

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN0529NG.M
 Title :
 Last Update : Fri May 30 03:32:30 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
----------	-------	------	------	-------	----------