

Evaluate Continuing Calibration Report

Data File : Z:\HPCHEM1\HPLC_N\DATA\HN053013\HN005342.D Vial: 1
 Acq On : 30-May-2013, 17:04 Operator: QM
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_N
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_N\METHOD\HN052213.M
 Title :
 Last Update : Fri May 24 05:23:33 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	4.250	4.499 E3	-5.9	104	0.00
2 T	HMX	4.254	4.389 E3	-3.2	106	0.00
3 T	RDX	5.143	5.053 E3	1.7	96	0.00
4 T	1,3,5-Trinitrobenzene	10.966	10.343 E3	5.7	94	-0.08
5 T	1,3-Dinitrobenzene	13.023	15.502 E3	-19.0	120	-0.14
6 T	3,5-Dinitroaniline	15.568	13.155 E3	15.5	85	-0.17
7 T	Nitrobenzene	9.308	9.105 E3	2.2	99	-0.16
8 T	Tetryl	6.006	5.703 E3	5.0	92	-0.18
9 T	2,4,6-Trinitrotoluene	11.690	11.268 E3	3.6	97	-0.17
10 T	2-Amino-4,6-dinitrotoluene	10.677	9.790 E3	8.3	94	-0.22
11 T	4-Amino-2,6-dinitrotoluene	6.107	5.950 E3	2.6	91	-0.20
12 T	2,4-Dinitrotoluene	14.546	13.629 E3	6.3	95	-0.20
13 T	2,6-Dinitrotoluene	8.250	7.995 E3	3.1	97	-0.21
14 T	2-Nitrotoluene	6.237	6.177 E3	1.0	98	-0.26
15 T	4-Nitrotoluene	5.245	5.010 E3	4.5	93	-0.30
16 T	3-Nitrotoluene	6.642	6.679 E3	-0.6	100	-0.30
17 T	PETN	8.590	7.535 E3	12.3	87	-0.20

Evaluate Continuing Calibration Report - Not Found

Data File : Z:\HPCHEM1\HPLC_N\DATA\HN053013\HN005342.D Vial: 1
 Acq On : 30-May-2013, 17:04 Operator: QM
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_N
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_N\METHOD\HN052213.M
 Title :
 Last Update : Fri May 24 05:23:33 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
----------	-------	------	------	-------	----------