

Evaluate Continuing Calibration Report

Data File : Z:\HPCHEM1\HPLC_N\DATA\HN060313\HN005357.D Vial: 31
 Acq On : 03-Jun-2013, 11:39 Operator: QM
 Sample : HSTDCCC005 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_N
 LabSampleId :
 HSTDCCC005

Method : Z:\HPCHEM1\HPLC_N\METHOD\HN052813.M
 Title :
 Last Update : Mon Jun 03 15:25:58 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	4.143	4.236 E6	-2.2	101	-0.09
2 T	Nitroglycerin	8.762	9.149 E6	-4.4	102	-0.12

Evaluate Continuing Calibration Report - Not Found

Data File : Z:\HPCHEM1\HPLC_N\DATA\HN060313\HN005357.D Vial: 31
 Acq On : 03-Jun-2013, 11:39 Operator: QM
 Sample : HSTDCCC005 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_N
 LabSampleId :
 HSTDCCC005

Method : Z:\HPCHEM1\HPLC_N\METHOD\HN052813.M
 Title :
 Last Update : Mon Jun 03 15:25:58 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
----------	-------	------	------	-------	----------