

Evaluate Continuing Calibration Report

Data File : Z:\HPCHEM1\HPLC_N\DATA\HN070213\HN005530.D Vial: 1
 Acq On : 02-Jul-2013, 14:14 Operator: QM
 Sample : HSTDCCC005 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : AUTOINT1.E

Instrument :
 HPLC_N
 LabSampleId :
 HSTDCCC005

Method : Z:\HPCHEM1\HPLC_N\METHOD\HN070213.M
 Title :
 Last Update : Tue Jul 02 14:15:35 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	4.250	4.362 E6	-2.6	101	0.02
2 T	Nitroglycerin	8.738	9.003 E6	-3.0	95	-0.02

Evaluate Continuing Calibration Report - Not Found

Data File : Z:\HPCHEM1\HPLC_N\DATA\HN070213\HN005530.D Vial: 1
 Acq On : 02-Jul-2013, 14:14 Operator: QM
 Sample : HSTDCCC005 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : AUTOINT1.E

Instrument :
 HPLC_N
 LabSampleId :
 HSTDCCC005

Method : Z:\HPCHEM1\HPLC_N\METHOD\HN070213.M
 Title :
 Last Update : Tue Jul 02 14:15:35 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
----------	-------	------	------	-------	----------