

Evaluate Continuing Calibration Report

Data File : S:\HPCHEM1\HPLC_N\DATA\HN072414\HN006167.D Vial: 2
 Acq On : 24-Jul-2014, 09:56 Operator: HNP
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_N
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN071714.M
 Title :
 Last Update : Fri Aug 08 10:46:30 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	4.404	4.532 E3	-2.9	114	-0.05
2 T	HMX	4.905	4.122 E3	16.0	94	-0.03
3 T	RDX	5.598	4.991 E3	10.8	100	-0.07
4 T	1,3,5-Trinitrobenzene	11.039	10.106 E3	8.5	100	-0.13
5 T	1,3-Dinitrobenzene	16.791	15.487 E3	7.8	102	-0.17
6 T	3,5-Dinitroaniline	13.476	12.422 E3	7.8	102	-0.20
7 T	Nitrobenzene	10.287	9.190 E3	10.7	100	-0.23
8 T	Tetryl	7.773	6.886 E3	11.4	96	-0.43
9 T	2,4,6-Trinitrotoluene	10.579	9.819 E3	7.2	102	-0.39
10 T	2-Amino-4,6-dinitrotoluene	11.400	10.072 E3	11.6	100	-0.42
11 T	4-Amino-2,6-dinitrotoluene	6.930	6.649 E3	4.1	100	-0.47
12 T	2,4-Dinitrotoluene	15.848	14.198 E3	10.4	100	-0.50
13 T	2,6-Dinitrotoluene	8.531	7.820 E3	8.3	100	-0.53#
14 T	2-Nitrotoluene	6.881	6.160 E3	10.5	99	-0.75#
15 T	4-Nitrotoluene	5.546	5.134 E3	7.4	100	-0.81#
16 T	3-Nitrotoluene	7.146	6.298 E3	11.9	101	-0.89#
17 T	PETN	8.857	9.030 E3	-2.0	113	-1.35#

Evaluate Continuing Calibration Report - Not Found

Data File : S:\HPCHEM1\HPLC_N\DATA\HN072414\HN006167.D Vial: 2
 Acq On : 24-Jul-2014, 09:56 Operator: HNP
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_N
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN071714.M
 Title :
 Last Update : Fri Aug 08 10:46:30 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
----------	-------	------	------	-------	----------